

## Product Information

# 01 06 160

## Combination Pliers

Chrome Vanadium

- For heavy duty use due to wear-resistant gripper jaws
- With gripping zones for flat and round material, suitable for versatile use
- With cutting edges for soft, hard and piano wire
- Long cutting edges for thicker cables
- Cutting edges additionally induction-hardened, cutting edge hardness approx. 64 HRC
- Particularly wear resistant gripping jaws; hardness of the gripping jaws approx. 53 HRC



General	
Part No.	01 06 160
EAN	4003773040729
pliers	chrome-plated
head	chrome-plated
handles	insulated with multi-component grips, VDE-tested
Weight	220 g
Dimensions	160 x 55 x 20 mm
Standard	DIN ISO 5746 DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Cutting capacities hard wire (diameter)	Ø 2.0 mm
Cutting capacities piano wire (diameter)	Ø 1.5 mm
Cutting capacity copper cable, multiple-stranded	Ø 10.0 mm
Cutting capacity copper cable, multiple-stranded	16.0 mm <sup>2</sup>
VDE tested	yes

Technical changes and errors excepted



## Product Information

# 01 06 190

## Combination Pliers

Chrome Vanadium

- For heavy duty use due to wear-resistant gripper jaws
- With gripping zones for flat and round material, suitable for versatile use
- With cutting edges for soft, hard and piano wire
- Long cutting edges for thicker cables
- Cutting edges additionally induction-hardened, cutting edge hardness approx. 64 HRC
- Particularly wear resistant gripping jaws; hardness of the gripping jaws approx. 53 HRC



General	
Part No.	01 06 190
EAN	4003773040415
pliers	chrome-plated
head	chrome-plated
handles	insulated with multi-component grips, VDE-tested
Weight	320 g
Dimensions	190 x 58 x 27 mm
Standard	DIN ISO 5746 DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Cutting capacities hard wire (diameter)	Ø 2.5 mm
Cutting capacities piano wire (diameter)	Ø 2.0 mm
Cutting capacity copper cable, multiple-stranded	Ø 13.0 mm
Cutting capacity copper cable, multiple-stranded	25.0 mm <sup>2</sup>
VDE tested	yes

Technical changes and errors excepted