

Product Information

03 06 160

Combination Pliers

- With gripping zones for flat and round material, suitable for versatile use
- With cutting edges for soft and hard wire
- Long cutting edges for thicker cables
- Cutting edges additionally induction-hardened, cutting edge hardness approx. 60 HRC



General	
Article No.	03 06 160
EAN	4003773021902
pliers	chrome-plated
head	chrome-plated
handles	insulated with multi-component grips, VDE-tested
Weight	228 g
Dimensions	160 x 54 x 19 mm
Standard	DIN ISO 5746 DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Cutting capacities medium hard wire (diameter)	Ø 3.1 mm
Cutting capacities hard wire (diameter)	Ø 2.0 mm
Cutting capacity copper cable, multiple-stranded	Ø 10.0 mm
Cutting capacity copper cable, multiple-stranded	16.0 mm ²
VDE tested	yes

Technical changes and errors excepted





Product Information

03 06 180 T

Combination Pliers

- With gripping zones for flat and round material, suitable for versatile use
- With cutting edges for soft and hard wire
- Long cutting edges for thicker cables
- Cutting edges additionally induction-hardened, cutting edge hardness approx. 60 HRC
- Pliers with integrated, insulated tether attachment point for a tool tether



General	
Article No.	03 06 180 T
EAN	4003773081395
pliers	chrome-plated
head	chrome-plated
handles	insulated with multi-component grips, VDE-tested with integrated insulated tether attachment point
Weight	270 g
Dimensions	180 x 57 x 27 mm
Standard	DIN ISO 5746 DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Cutting capacities medium hard wire (diameter)	Ø 3.4 mm
Cutting capacities hard wire (diameter)	Ø 2.2 mm
Cutting capacity copper cable, multiple-stranded	Ø 12.0 mm
Cutting capacity copper cable, multiple-stranded	16.0 mm ²
Drop Protection System	yes
VDE tested	yes

Technical changes and errors excepted





Product Information

03 06 180

Combination Pliers

- With gripping zones for flat and round material, suitable for versatile use
- With cutting edges for soft and hard wire
- Long cutting edges for thicker cables
- Cutting edges additionally induction-hardened, cutting edge hardness approx. 60 HRC



General	
Article No.	03 06 180
EAN	4003773021926
pliers	chrome-plated
head	chrome-plated
handles	insulated with multi-component grips, VDE-tested
Weight	264 g
Dimensions	180 x 55 x 20 mm
Standard	DIN ISO 5746 DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Cutting capacities medium hard wire (diameter)	Ø 3.4 mm
Cutting capacities hard wire (diameter)	Ø 2.2 mm
Cutting capacity copper cable, multiple-stranded	Ø 12.0 mm
Cutting capacity copper cable, multiple-stranded	16.0 mm ²
VDE tested	yes

Technical changes and errors excepted





Product Information

03 06 200

Combination Pliers

- With gripping zones for flat and round material, suitable for versatile use
- With cutting edges for soft and hard wire
- Long cutting edges for thicker cables
- Cutting edges additionally induction-hardened, cutting edge hardness approx. 60 HRC



General	
Article No.	03 06 200
EAN	4003773033776
pliers	chrome-plated
head	chrome-plated
handles	insulated with multi-component grips, VDE-tested
Weight	355 g
Dimensions	200 x 58 x 20 mm
Standard	DIN ISO 5746 DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Cutting capacities medium hard wire (diameter)	Ø 3.8 mm
Cutting capacities hard wire (diameter)	Ø 2.5 mm
Cutting capacity copper cable, multiple-stranded	Ø 13.0 mm
Cutting capacity copper cable, multiple-stranded	16.0 mm ²
VDE tested	yes

Technical changes and errors excepted



