

Product Information

08 26 145

Needle-Nose Combination Pliers




- Easy cutting thanks to the high leverage joint
- Handy use when working in confined areas thanks to slim head design and pointed jaws (anti-twist)
- Gripping surfaces with special convex contour on one side for secure gripping of flat parts
- The reliable and diverse combination pliers when out and about
- With cutting edges for soft, medium-hard and hard wire
- Cutting edges additionally induction-hardened, cutting edge hardness approx. 61 HRC
- Long service life and stable tips
- Milled groove in the gripping area permits small parts such as nails, pins and bolts to be held and pulled



General	
Article No.	08 26 145
EAN	4003773079361
pliers	chrome-plated
head	chrome-plated
handles	insulated with multi-component grips, VDE-tested
Weight	145 g
Dimensions	145 x 58 x 18 mm
Standard	DIN ISO 5746 DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Cutting capacities medium hard wire (diameter)	Ø 3.0 mm
Cutting capacities hard wire (diameter)	Ø 2.0 mm
Cutting capacity copper cable, multiple-stranded	Ø 8.0 mm
Cutting capacity copper cable, multiple-stranded	16.0 mm ²
VDE tested	yes

Technical changes and errors excepted





Product Information

08 26 145 T

Needle-Nose Combination Pliers





- Easy cutting thanks to the high leverage joint
- Handy use when working in confined areas thanks to slim head design and pointed jaws (anti-twist)
- Gripping surfaces with special convex contour on one side for secure gripping of flat parts
- The reliable and diverse combination pliers when out and about
- With cutting edges for soft, medium-hard and hard wire
- Cutting edges additionally induction-hardened, cutting edge hardness approx. 61 HRC
- Long service life and stable tips
- Milled groove in the gripping area permits small parts such as nails, pins and bolts to be held and pulled
- Pliers with integrated, insulated tether attachment point for a tool tether



General	
Article No.	08 26 145 T
EAN	4003773081401
pliers	chrome-plated
head	chrome-plated
handles	insulated with multi-component grips, VDE-tested with integrated insulated tether attachment point
Weight	155 g
Dimensions	145 x 59 x 26 mm
Standard	DIN ISO 5746 DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Cutting capacities medium hard wire (diameter)	Ø 3.0 mm
Cutting capacities hard wire (diameter)	Ø 2.0 mm
Cutting capacity copper cable, multiple-stranded	Ø 8.0 mm
Cutting capacity copper cable, multiple-stranded	16.0 mm ²
Drop Protection System	yes
VDE tested	yes

Technical changes and errors excepted



Product Information

08 26 185

Needle-Nose Combination Pliers



- Easy cutting thanks to the high leverage joint
- Handy use when working in confined areas thanks to slim head design and pointed jaws (anti-twist)
- Gripping surfaces with special convex contour on one side for secure gripping of flat parts
- The reliable and diverse combination pliers when out and about
- With cutting edges for soft, medium-hard and hard wire
- Cutting edges additionally induction-hardened, cutting edge hardness approx. 61 HRC
- Long service life and stable tips
- Milled groove in the gripping area permits small parts such as nails, pins and bolts to be held and pulled



General	
Article No.	08 26 185
EAN	4003773088356
pliers	chrome-plated
head	polished
handles	insulated with multi-component grips, VDE-tested
Weight	213 g
Dimensions	185 x 54 x 28 mm
Standard	DIN ISO 5746 DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Cutting capacities medium hard wire (diameter)	Ø 3.8 mm
Cutting capacities hard wire (diameter)	Ø 3.0 mm
Cutting capacity copper cable, multiple-stranded	Ø 13.0 mm
Cutting capacity copper cable, multiple-stranded	25.0 mm ²
VDE tested	yes

Technical changes and errors excepted

