



Head protection

BARRIER 2

ARC - WELDING

Welding mask with adjustable tinting suitable for all welding jobs



Applications

- Building
- Finishing Works/Craftsmanship
- Light Industry
- Maintenance
- Automotive

Certifications and norms



EN 379

1/1/1/2
4/5-13

EN175

B

EN166

1 B

ANSI Z87.1 - IMPACT

Z87 W4/5-9/9-13

Risk Protection



Heat



Shock



UV / IR

www.npower.com.vn

Tài liệu được tổng hợp bởi đội ngũ kỹ thuật của **NPOWER**
Bản quyền nội dung thuộc về **DELTA PLUS**



Powered by **NAVITECH** | www.navitech.co



enjoy safety

Edit 13/09/2025
www.deltaplus-usa.com



Head protection

BARRIER 2

ARC - WELDING

Welding mask with adjustable tinting suitable for all welding jobs

Standards - Details

Technical details

Use	Outside
Type of eye protection	Welding helmet
Lens Material	Polycarbonate
Glasses Style	Monoblock
Lens color	Welding 13
Optical class	1
Lens protection class	4
Glasses Characteristics	Straight
Mechanical strength (lens)	B
Frame color	Black, Silver
Weight (g)	500



BARRIER 2

WELDING

Head protection

Welding mask with adjustable tinting suitable for all welding jobs

Logistics Information

Reference	Color	Size	Designation	EAN13	Box Code			Weight			
BARRIER2	Black-Gray	Adjustable	BARRIER 2	3295249208721	13295249208728	6	1	7.0 kg	32.8 cm	73.2 cm	52.4 cm



Multiple Sales



Minimum Order Quantity



Box Width



Box Depth



Box Height