



Head protection

# GRANITE WIND Blue

## HARD HATS

Safety helmet for work at height, ventilated, made from ABS, equipped with a 3-point chinstrap



### Specific benefits



#### Comfort

- Lack of visor improves field of vision
- Breathability of vented helmet makes extended wear comfortable
- ABS to keep helmet lightweight and comfortable
- Features 3 textile straps with 8 attachment points for optimal weight distribution
- Adjustable headband can be positioned high or low for better fit and comfort
- Adjustable from 53cm to 63cm for optimized comfort

### Technologies and labels

- D-ONE-ROTOR

### Applications

- Public Works
- Building
- Finishing Works/Craftsmanship
- Maintenance
- Power Energy

### Certifications and norms



MM  
-20°C +50°C

### Risk Protection



Heat



Shock

[www.npower.com.vn](http://www.npower.com.vn)

Tài liệu được tổng hợp bởi đội ngũ kỹ thuật của **NPOWER**  
Bản quyền nội dung thuộc về **DELTA PLUS**



Powered by **NAVITECH** | [www.navitech.co](http://www.navitech.co)



*enjoy safety*

Edit 02/09/2025  
[www.deltaplus-usa.com](http://www.deltaplus-usa.com)



Head protection

# GRANITE WIND Blue

## HARD HATS

Safety helmet for work at height, ventilated, made from ABS, equipped with a 3-point chinstrap

### Standards - Details

### Technical details

Type of product	Safety Helmet
Shell Material	ABS
Textile	PA (Polyamide)
Head Measurement (cm)	53-63 cm
Headband Materials	Polyethylene
Adjustment	D Rotor Ratchet
Ventilation	Vented
Main color	Blue
Suspension Points	8 points
Comfort Headband	EVA Foam
Helmet peak	None
Chin Strap Points	3 Point Chin Strap
Availables or replacement accessories	Badge holder, Reflective strip, Perspiration headband, Shield, Lens, Basane, Ear protection, Mesh visor, Neck protector, Logo, Wheel-ratchet harness adjustment
Mounting notch (for earmuffs fixation)	yes
Integrated option	Chin Strap
Custom logo	Unavailable
Compatible product	Lens, Shield, Earmuffs
Low temperature resistance	-20°C
High temperature resistance	+50°C
Weight (g)	368
Weight (lbs)	0.8097
Lifespan from first use	48 months
Lifespan from manufacturing	84 months
Contained colors	Blue
Chin Strap Material	Textile








# GRANITE WIND

## SAFETY HELMETS

Head protection

Safety helmet for work at height, ventilated, made from ABS, equipped with a 3-point chinstrap

### Logistics Information

Reference	Color	Size	Designation	EAN13	Box Code			Weight			
GRAWIBLFL	Blue	Adjustable	GRANITE WIND	3295249161866	13295249161863	10	1	6.47 kg	44.8 cm	64.0 cm	29.2 cm
GRAWIORFL	Orange	Adjustable	GRANITE WIND	3295249161880	13295249161887	10	1	6.3 kg	43.8 cm	64.6 cm	29.2 cm
GRAWIROFL	Red	Adjustable	GRANITE WIND	3295249161897	13295249161894	10	1	6.2 kg	44.4 cm	63.8 cm	29.0 cm
GRAWIBCFL	White	Adjustable	GRANITE WIND	3295249161859	13295249161856	10	1	6.316 kg	44.8 cm	63.8 cm	28.8 cm
GRAWIJAFL	Yellow	Adjustable	GRANITE WIND	3295249161873	13295249161870	10	1	6.5 kg	30.0 cm	45.0 cm	66.0 cm



Multiple Sales



Minimum Order Quantity



Box Width



Box Depth



Box Height



Head protection

# GRANITE WIND Orange

## HARD HATS

Safety helmet for work at height, ventilated, made from ABS, equipped with a 3-point chinstrap



### Specific benefits



#### Comfort

- Lack of visor improves field of vision
- Breathability of vented helmet makes extended wear comfortable
- ABS to keep helmet lightweight and comfortable
- Features 3 textile straps with 8 attachment points for optimal weight distribution
- Adjustable headband can be positioned high or low for better fit and comfort
- Adjustable from 53cm to 63cm for optimized comfort

### Technologies and labels

- D-ONE-ROTOR

### Applications

- **Public Works**
- **Building**
- **Finishing Works/Craftsmanship**
- **Maintenance**
- **Power Energy**

### Certifications and norms



MM  
-20°C +50°C

### Risk Protection



Heat



Shock



Head protection

# GRANITE WIND Orange

## HARD HATS

Safety helmet for work at height, ventilated, made from ABS, equipped with a 3-point chinstrap

### Standards - Details

### Technical details

Type of product	Safety Helmet
Shell Material	ABS
Textile	PA (Polyamide)
Head Measurement (cm)	53-63 cm
Headband Materials	Polyethylene
Adjustment	D Rotor Ratchet
Ventilation	Vented
Main color	Orange
Suspension Points	8 points
Comfort Headband	EVA Foam
Helmet peak	None
Chin Strap Points	3 Point Chin Strap
Availables or replacement accessories	Badge holder, Reflective strip, Perspiration headband, Shield, Lens, Basane, Ear protection, Mesh visor, Neck protector, Logo, Wheel-ratchet harness adjustment
Mounting notch (for earmuffs fixation)	yes
Integrated option	Chin Strap
Custom logo	Unavailable
Compatible product	Lens, Shield, Earmuffs
Low temperature resistance	-20°C
High temperature resistance	+50°C
Weight (g)	368
Weight (lbs)	0.8097
Lifespan from first use	48 months
Lifespan from manufacturing	84 months
Contained colors	Orange
Chin Strap Material	Textile








Head protection

# GRANITE WIND

## SAFETY HELMETS

Safety helmet for work at height, ventilated, made from ABS, equipped with a 3-point chinstrap

### Logistics Information

Reference	Color	Size	Designation	EAN13	Box Code			Weight			
GRAWIBLFL	Blue	Adjustable	GRANITE WIND	3295249161866	13295249161863	10	1	6.47 kg	44.8 cm	64.0 cm	29.2 cm
GRAWIORFL	Orange	Adjustable	GRANITE WIND	3295249161880	13295249161887	10	1	6.3 kg	43.8 cm	64.6 cm	29.2 cm
GRAWIROFL	Red	Adjustable	GRANITE WIND	3295249161897	13295249161894	10	1	6.2 kg	44.4 cm	63.8 cm	29.0 cm
GRAWIBCFL	White	Adjustable	GRANITE WIND	3295249161859	13295249161856	10	1	6.316 kg	44.8 cm	63.8 cm	28.8 cm
GRAWIJAFL	Yellow	Adjustable	GRANITE WIND	3295249161873	13295249161870	10	1	6.5 kg	30.0 cm	45.0 cm	66.0 cm



Multiple Sales



Minimum Order Quantity



Box Width



Box Depth



Box Height



Head protection

# GRANITE WIND Red

## HARD HATS

Safety helmet for work at height, ventilated, made from ABS, equipped with a 3-point chinstrap



### Specific benefits



#### Comfort

- Lack of visor improves field of vision
- Breathability of vented helmet makes extended wear comfortable
- ABS to keep helmet lightweight and comfortable
- Features 3 textile straps with 8 attachment points for optimal weight distribution
- Adjustable headband can be positioned high or low for better fit and comfort
- Adjustable from 53cm to 63cm for optimized comfort

### Technologies and labels

- D-ONE-ROTOR

### Applications

- **Public Works**
- **Building**
- **Finishing Works/Craftsmanship**
- **Maintenance**
- **Power Energy**

### Certifications and norms



MM  
-20°C +50°C

### Risk Protection



Heat



Shock



Head protection

# GRANITE WIND Red

## HARD HATS

Safety helmet for work at height, ventilated, made from ABS, equipped with a 3-point chinstrap

### Standards - Details

### Technical details

Type of product	Safety Helmet
Shell Material	ABS
Textile	PA (Polyamide)
Head Measurement (cm)	53-63 cm
Headband Materials	Polyethylene
Adjustment	D Rotor Ratchet
Ventilation	Vented
Main color	Red
Suspension Points	8 points
Comfort Headband	EVA Foam
Helmet peak	None
Chin Strap Points	3 Point Chin Strap
Availables or replacement accessories	Badge holder, Reflective strip, Perspiration headband, Shield, Lens, Basane, Ear protection, Mesh visor, Neck protector, Logo, Wheel-ratchet harness adjustment
Mounting notch (for earmuffs fixation)	yes
Integrated option	Chin Strap
Custom logo	Unavailable
Compatible product	Lens, Shield, Earmuffs
Low temperature resistance	-20°C
High temperature resistance	+50°C
Weight (g)	368
Weight (lbs)	0.8097
Lifespan from first use	48 months
Lifespan from manufacturing	84 months
Contained colors	Red
Chin Strap Material	Textile










# GRANITE WIND

## SAFETY HELMETS

Head protection

Safety helmet for work at height, ventilated, made from ABS, equipped with a 3-point chinstrap

### Logistics Information

Reference	Color	Size	Designation	EAN13	Box Code			Weight			
GRAWIBLFL	Blue	Adjustable	GRANITE WIND	3295249161866	13295249161863	10	1	6.47 kg	44.8 cm	64.0 cm	29.2 cm
GRAWIORFL	Orange	Adjustable	GRANITE WIND	3295249161880	13295249161887	10	1	6.3 kg	43.8 cm	64.6 cm	29.2 cm
GRAWIROFL	Red	Adjustable	GRANITE WIND	3295249161897	13295249161894	10	1	6.2 kg	44.4 cm	63.8 cm	29.0 cm
GRAWIBCFL	White	Adjustable	GRANITE WIND	3295249161859	13295249161856	10	1	6.316 kg	44.8 cm	63.8 cm	28.8 cm
GRAWIJAFL	Yellow	Adjustable	GRANITE WIND	3295249161873	13295249161870	10	1	6.5 kg	30.0 cm	45.0 cm	66.0 cm



Multiple Sales



Minimum Order Quantity



Box Width



Box Depth



Box Height



Head protection

# GRANITE WIND White

## HARD HATS

Safety helmet for work at height, ventilated, made from ABS, equipped with a 3-point chinstrap



## Specific benefits



### Comfort

- Lack of visor improves field of vision
- Breathability of vented helmet makes extended wear comfortable
- ABS to keep helmet lightweight and comfortable
- Features 3 textile straps with 8 attachment points for optimal weight distribution
- Adjustable headband can be positioned high or low for better fit and comfort
- Adjustable from 53cm to 63cm for optimized comfort

## Technologies and labels

- D-ONE-ROTOR

## Applications

- **Public Works**
- **Building**
- **Finishing Works/Craftsmanship**
- **Maintenance**
- **Power Energy**

## Certifications and norms



MM  
-20°C +50°C

## Risk Protection



Heat



Shock



Head protection

# GRANITE WIND White

## HARD HATS

Safety helmet for work at height, ventilated, made from ABS, equipped with a 3-point chinstrap

### Standards - Details

### Technical details

Type of product	Safety Helmet
Shell Material	ABS
Textile	PA (Polyamide)
Head Measurement (cm)	53-63 cm
Headband Materials	Polyethylene
Adjustment	D Rotor Ratchet
Ventilation	Vented
Main color	White
Suspension Points	8 points
Comfort Headband	EVA Foam
Helmet peak	None
Chin Strap Points	3 Point Chin Strap
Availables or replacement accessories	Badge holder, Reflective strip, Perspiration headband, Shield, Lens, Basane, Ear protection, Mesh visor, Neck protector, Logo, Wheel-ratchet harness adjustment
Mounting notch (for earmuffs fixation)	yes
Integrated option	Chin Strap
Custom logo	Unavailable
Compatible product	Lens, Shield, Earmuffs
Low temperature resistance	-20°C
High temperature resistance	+50°C
Weight (g)	368
Weight (lbs)	0.8097
Lifespan from first use	48 months
Lifespan from manufacturing	84 months
Contained colors	White
Chin Strap Material	Textile








# GRANITE WIND

## SAFETY HELMETS

Head protection

Safety helmet for work at height, ventilated, made from ABS, equipped with a 3-point chinstrap

### Logistics Information

Reference	Color	Size	Designation	EAN13	Box Code			Weight			
GRAWIBLFL	Blue	Adjustable	GRANITE WIND	3295249161866	13295249161863	10	1	6.47 kg	44.8 cm	64.0 cm	29.2 cm
GRAWIORFL	Orange	Adjustable	GRANITE WIND	3295249161880	13295249161887	10	1	6.3 kg	43.8 cm	64.6 cm	29.2 cm
GRAWIROFL	Red	Adjustable	GRANITE WIND	3295249161897	13295249161894	10	1	6.2 kg	44.4 cm	63.8 cm	29.0 cm
GRAWIBCFL	White	Adjustable	GRANITE WIND	3295249161859	13295249161856	10	1	6.316 kg	44.8 cm	63.8 cm	28.8 cm
GRAWIJAFL	Yellow	Adjustable	GRANITE WIND	3295249161873	13295249161870	10	1	6.5 kg	30.0 cm	45.0 cm	66.0 cm



Multiple Sales



Minimum Order Quantity



Box Width



Box Depth



Box Height



Head protection

# GRANITE WIND Yellow

## HARD HATS

Safety helmet for work at height, ventilated, made from ABS, equipped with a 3-point chinstrap



## Specific benefits



### Comfort

- Lack of visor improves field of vision
- Breathability of vented helmet makes extended wear comfortable
- ABS to keep helmet lightweight and comfortable
- Features 3 textile straps with 8 attachment points for optimal weight distribution
- Adjustable headband can be positioned high or low for better fit and comfort
- Adjustable from 53cm to 63cm for optimized comfort

## Technologies and labels

- D-ONE-ROTOR

## Applications

- **Public Works**
- **Building**
- **Finishing Works/Craftsmanship**
- **Maintenance**
- **Power Energy**

## Certifications and norms



MM  
-20°C +50°C

## Risk Protection



Heat



Shock



Head protection

# GRANITE WIND Yellow

## HARD HATS

Safety helmet for work at height, ventilated, made from ABS, equipped with a 3-point chinstrap

### Standards - Details

### Technical details

Type of product	Safety Helmet
Shell Material	ABS
Textile	PA (Polyamide)
Head Measurement (cm)	53-63 cm
Headband Materials	Polyethylene
Adjustment	D Rotor Ratchet
Ventilation	Vented
Main color	Yellow
Suspension Points	8 points
Comfort Headband	EVA Foam
Helmet peak	None
Chin Strap Points	3 Point Chin Strap
Availables or replacement accessories	Badge holder, Reflective strip, Perspiration headband, Shield, Lens, Basane, Ear protection, Mesh visor, Neck protector, Logo, Wheel-ratchet harness adjustment
Mounting notch (for earmuffs fixation)	yes
Integrated option	Chin Strap
Custom logo	Unavailable
Compatible product	Lens, Shield, Earmuffs
Low temperature resistance	-20°C
High temperature resistance	+50°C
Weight (g)	368
Weight (lbs)	0.8097
Lifespan from first use	48 months
Lifespan from manufacturing	84 months
Contained colors	Yellow
Chin Strap Material	Textile








Head protection

# GRANITE WIND

## SAFETY HELMETS

Safety helmet for work at height, ventilated, made from ABS, equipped with a 3-point chinstrap

### Logistics Information

Reference	Color	Size	Designation	EAN13	Box Code			Weight			
GRAWIBLFL	Blue	Adjustable	GRANITE WIND	3295249161866	13295249161863	10	1	6.47 kg	44.8 cm	64.0 cm	29.2 cm
GRAWIORFL	Orange	Adjustable	GRANITE WIND	3295249161880	13295249161887	10	1	6.3 kg	43.8 cm	64.6 cm	29.2 cm
GRAWIROFL	Red	Adjustable	GRANITE WIND	3295249161897	13295249161894	10	1	6.2 kg	44.4 cm	63.8 cm	29.0 cm
GRAWIBCFL	White	Adjustable	GRANITE WIND	3295249161859	13295249161856	10	1	6.316 kg	44.8 cm	63.8 cm	28.8 cm
GRAWIJAFL	Yellow	Adjustable	GRANITE WIND	3295249161873	13295249161870	10	1	6.5 kg	30.0 cm	45.0 cm	66.0 cm



Multiple Sales



Minimum Order Quantity



Box Width



Box Depth



Box Height