



JET3 S3 SRC

CONSTRUCTION

Low-cut shoe with robust construction for optimum durability

Foot protection



Specific benefits



Comfort

- Stabilisation of the foot when walking
- Shock-absorbing heel to relieve joint strain
- Dual-density outsole



Performance

- Ladder side grip: sole design for good grip on ladders
- High stability ensured by the sole's grip properties



Hygiene

- Removable insock for easy cleaning

Certifications and norms



EN ISO 20345
S3 WPA FO A E SR

Applications

- Public Works
- Building
- Finishing Works/Craftsmanship
- Events & Scenic
- Light Industry
- Maintenance

Risk Protection



Antistatic



Shock



Slip



Perforation

www.npower.com.vn

Tài liệu được tổng hợp bởi đội ngũ kỹ thuật của **NPOWER**
Bản quyền nội dung thuộc về **DELTA PLUS**



Powered by **NAVITECH** | www.navitech.co



enjoy safety

Edit 17/09/2025
www.deltaplus-usa.com



JET3 S3 SRC

CONSTRUCTION

Low-cut shoe with robust construction for optimum durability

Foot protection

Standards - Details

Technical details

Type of Shoe	Low Shoe
Outsole material	PU, 2d
Anti-perforation insert	Stainless steel
Upper material	Leather
Upper finition material	Croupon, Pigmented, Water repellent
Safety toe-cap	Stainless steel
Lining material	Textile, Mesh polyamid
Footbed material	EVA, Polyester
Footbed caracteristic	Removable, Breathable, Pre-molded
Outsole finition	Injected
Weight (g per shoe)	570
Size range	36 → 48



JET3 S3 SRC

CONSTRUCTION

Foot protection

Low-cut shoe with robust construction for optimum durability

Logistics Information

Reference	Color	Size	Designation	EAN13	Box Code			Weight			
JET3S3NO36	Black	4	JET3 S3 SRC	3295249242961	13295249242968	10	1	13.03 kg	43.5 cm	59.5 cm	34.0 cm
JET3S3NO37	Black	5	JET3 S3 SRC	3295249243227	13295249243224	10	1	13.5 kg	41.4 cm	57.6 cm	32.2 cm
JET3S3NO38	Black	6	JET3 S3 SRC	3295249243234	13295249243231	10	1	13.7 kg	44.8 cm	55.8 cm	31.4 cm
JET3S3NO39	Black	6	JET3 S3 SRC	3295249243241	13295249243248	10	1	13.8 kg	41.8 cm	57.8 cm	32.0 cm
JET3S3NO40	Black	7	JET3 S3 SRC	3295249243258	13295249243255	10	1	14.9 kg	40.6 cm	58.6 cm	31.6 cm
JET3S3NO41	Black	8	JET3 S3 SRC	3295249243265	13295249243262	10	1	15.3 kg	60.4 cm	43.8 cm	34.4 cm
JET3S3NO42	Black	9	JET3 S3 SRC	3295249243272	13295249243279	10	1	15.3 kg	44.6 cm	60.8 cm	34.0 cm
JET3S3NO43	Black	10	JET3 S3 SRC	3295249243289	13295249243286	10	1	15.9 kg	44.0 cm	60.4 cm	33.6 cm
JET3S3NO44	Black	11	JET3 S3 SRC	3295249243296	13295249243293	10	1	16.3 kg	43.8 cm	60.2 cm	34.2 cm
JET3S3NO45	Black	11,5	JET3 S3 SRC	3295249243302	13295249243309	10	1	18.0 kg	47.8 cm	65.6 cm	35.6 cm
JET3S3NO46	Black	12	JET3 S3 SRC	3295249243319	13295249243316	5	1	9.0 kg	26.2 cm	64.6 cm	35.6 cm
JET3S3NO47	Black	13	JET3 S3 SRC	3295249243326	13295249243323	5	1	9.5 kg	25.8 cm	64.2 cm	36.4 cm
JET3S3NO48	Black	14	JET3 S3 SRC	3295249243333	13295249243330	5	1	10.2 kg	69.4 cm	29.8 cm	38.2 cm



Multiple Sales



Minimum Order Quantity



Box Width



Box Depth



Box Height