



Hand protection

TOUTRAVO VE509

WORK WITH PROLONGED CHEMICAL RESISTANCE

Chemical glove with good grip for all types of applications



Specific benefits



Performance

- Extra thick and long for extra protection of the entire arm

Applications

- Public Works
- Building
- Finishing Works/Craftsmanship
- Maintenance
- Chemical Industry
- Automotive

Certifications and norms



EN 388
3 1 1 0 X



EN ISO 374-1
TYPE A
AKLMNOPT



EN ISO 374-5

Risk Protection



Biological



Wearing



Chemical



Particulates

www.npower.com.vn

Tài liệu được tổng hợp bởi đội ngũ kỹ thuật của **NPOWER**
Bản quyền nội dung thuộc về **DELTA PLUS**



Powered by **NAVITECH** | www.navitech.co



enjoy safety

Edit 14/09/2025
www.deltaplus-usa.com



Hand protection

TOUTRAVO VE509

WORK WITH PROLONGED CHEMICAL RESISTANCE

Chemical glove with good grip for all types of applications

Standards - Details



EN388:2016+A1:2018

3 [0-4] ABRASION RESISTANCE
1 [0-5] CUT RESISTANCE
1 [0-4] TEAR RESISTANCE
0 [0-4] PIERCE RESISTANCE
X [A-F] CUT RESISTANCE ISO 13997



EN 374

A : MÉTHANOL
K
L
M
N
O
P
T

Technical details

Glove kind	Tight glove
Glove family	Tight glove supported
Tight glove kind	Supported
Inner finition	Flocked
Coating material and finition	Neoprene pattern
Lining material	Cotton Textile
Coating Level	Full Coating
Number of Coatings	Single Coated
Thickness (mm)	0,75
Arm level protection	Forearm cuff (< 400mm)
Benefits element	Reach
Color	Black
Size	6, 7, 8, 9, 10, 11
Type of conditioning	in individual bags



Hand protection

TOUTRAVO VE509

WORK WITH PROLONGED CHEMICAL RESISTANCE

Chemical glove with good grip for all types of applications

Permeation table

Chemicals	Letter	CAS #	Permeation level	Permeation time (minutes)	Dégradation moyenne
Methanol	A	67-56-1	3	60	3.8%
Sodium Hydroxyde 40%	K	1310-73-2	6	480	-0.1%
Acide Sulfurique 96%	L	7664-93-9	4	120	23.5%
Nitric Acid 65%	M	7697-37-2	6	480	19.3%
Acetic Acid 99%	N	64-19-7	5	240	19%
Hydroxyde d'ammonium 25%	O	1336-21-6	3	60	-12.9%
Peroxyde d'Hydrogène 30%	P	7722-84-1	6	480	-2.8%
Acide hydrofluorique 40%	S	7664-39-3	6	480	X
Formaldehyde 37%	T	50-00-0	6	480	6.7%



Safety gloves

TOUTRAVO VE509

WORK WITH PROLONGED CHEMICAL RESISTANCE

Chemical glove with good grip for all types of applications

Logistics Information

Reference	Color	Size	Designation	EAN13	Box Code			Weight			
VE509NO06	Black	6/7	TOUTRAVO VE509	3295249011970	13295249011977	120	12	17.0 kg	27.5 cm	30.0 cm	61.0 cm
VE509NO07	Black	7/8	TOUTRAVO VE509	3295249011987	13295249011984	120	12	13.5 kg	27.5 cm	30.0 cm	61.0 cm
VE509NO08	Black	8/9	TOUTRAVO VE509	3295249011994	13295249011991	120	12	15.0 kg	27.5 cm	30.0 cm	61.0 cm
VE509NO09	Black	9/10	TOUTRAVO VE509	3295249012007	13295249012004	120	12	16.0 kg	27.5 cm	30.0 cm	61.0 cm
VE509NO10	Black	10/11	TOUTRAVO VE509	3295249012014	13295249012011	120	12	17.2 kg	27.5 cm	30.0 cm	61.0 cm



Multiple Sales



Minimum Order Quantity



Box Width



Box Depth



Box Height