## Certifications and norms

CE

**EN 388**
3 2 2 2 B P

A2 X X

## Risk Protection

Shock | Cutting | Wearing

## Specific benefits

### Easy to use

· Perfect fit so that users do not feel any discomfort in the wrist area with prolonged use
· Hook-and-loop fastener for better wrist support

### Hygiene

· Reduces perspiration thanks to its excellent breathability

### Performance

· Flexible reinforcements for added protection against impact and pinching
· Lightweight for optimal dexterity

## Applications

- **Public Works**
- **Building**
- **Finishing Works/Craftsmanship**
- **Maintenance**
- **Chemical Industry**
- **Mining**

DELTAPLUS

*enjoy safety*

# EOS VV900JA
## WORKS IN DRY ENVIRONMENT
Level B cut-resistant and shock-resistant glove for multipurpose work

## Standards - Details

**EN388:2016+A1:2018**
3 [0-4] ABRASION RESISTANCE
2 [0-5] CUT RESISTANCE
2 [0-4] TEAR RESISTANCE
2 [0-4] PIERCE RESISTANCE
B [A-F] CUT RESISTANCE ISO 13997
P [P] IMPACT RESISTANCE (OPTIONAL)

## Technical details

| | |
|---|---|
| Glove kind | Special glove |
| Glove family | Cut and sewn textile palm / textile back |
| Mechanical Glove Type | Cut Sewn |
| Special gloves kind | Impact |
| Dots material | PVC Dots |
| Cuff caracteristic | Velcro cuff |
| Benefits element | Reach, Vendor pack, Kevlar stitching |
| Color | Yellow-Grey-Black |
| Size | 8, 9, 10, 11, 12 |
| Type of conditioning | Header card |

## Logistics Information

| Reference | Color | Size | Designation | EAN13 | Box Code | 📦 | ⚖ | Weight | 📦 | 📦 | 📦 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| VV900JA12 | Yellow-Grey-Black | 12 | EOS VV900JA | 3295249196004 | 13295249196001 | 60 | 12 | 14.8 kg | 33.6 cm | 68.8 cm | 30.6 cm |

📦 Multiple Sales

⚖ Minimum Order Quantity

📦 Box Width

📦 Box Depth

📦 Box Height