



www.npower.com.vn

Tài liệu được tổng hợp bởi đội ngũ kỹ thuật của **NPOWER**

Bản quyền nội dung thuộc về công ty **Hanyoung Nux**

Powered by **NAVITECH** | www.navitech.co



www.npower.com.vn

Tài liệu được tổng hợp bởi đội ngũ kỹ thuật của **NPOWER**

Bản quyền nội dung thuộc về công ty **Hanyoung Nux**

Powered by **NAVITECH** | www.navitech.co

Certificate of conformity to the following European Directives

Registered No.:

K13452/E23

ELECTROMAGNETIC COMPATIBILITY DIRECTIVE 2014/30/EU

Reference of applicant

-

Date of application

2023-05-09

File reference

KP-23-250

Test report No.

K13335/E23

Date of issue

2023-05-16

This is to certify that the following products comply with the essential requirements (Annex 1) of the above mentioned European Directive and the following standard(s):

Product: Thyristor Power Regulator

Type designation: See attached annex 1 for the Type designation

Applicant: Hanyoung Nux Co., Ltd.
28, Gilpa-ro 71beon-gil, Michuhol-gu, Incheon 22121, Korea

Manufacturer: Same as above

Standard(s): EN 60947-4-3:2014
EN 61000-3-2:2014
EN 61000-3-3:2013

This Certificate of conformity is based on the evaluation of samples of the product. It does not imply an assessment of the production and it does not permit the use of a mark of conformity or of a safety mark of the TÜV NORD GROUP. The holder of this certificate may use this Certificate together with his EC-Declaration of Conformity.



Young-Cheon Kim
Product Certification Business Unit
TÜV NORD KOREA LTD.

TÜV NORD Korea Ltd.
20 Dogok-ro 3-gil, Gangnam-gu,
Seoul 06254, Korea
Tel.: +82-2-2188-0070
Fax: +82-2-556-3065
E-mail: tnk@tuv-nord.com

Annex 1 to Certificate No.: **K13452/E23**

File reference: KP-23-250

Type designation:

TPR-3SLab-cde

a = 025, 040, 055, 070, 090, 130 or 160; a stands for rated operational current

b = L or H; b stands for rated operational voltage (L : AC 100 - 240 V, H : AC 380 - 440 V)

c = C or blank; c stands for transmission option (C : RS485 transmission)

d = N or blank; d stands for fuse option (N : No fuse)

e = F or blank; e stands for fan option (F : Fan installed)

TPR-3SLab-EP

a = 025, 040, 055, 070, 090, 130 or 160; a stands for rated operational current

b = L or H; b stands for rated operational voltage (L : AC 100 - 240 V, H : AC 100 - 440 V)

TPR-3CHab-EC

a = 025, 040, 055, 070, 090, 130 or 160; a stands for rated operational current

b = L or H; b stands for rated operational voltage (L : AC 100 - 240 V, H : AC 100 - 440 V)

Certificate of conformity with the following European Directives

Registered No.:

K13453/L23

LOW-VOLTAGE DIRECTIVE 2014/35/EU

Reference of applicant	Date of application	File reference	Test report No.	Date of issue
-	2023-05-09	KP-23-251	K13336/L23	2023-05-16

This is to certify that the following products comply with the essential requirements (Annex 1) of the above mentioned European Directive and the following standard(s):

Product: Thyristor Power Regulator

Type designation: See attached annex 1 for the Type designation

Applicant: Hanyoung Nux Co., Ltd.
28, Gilpa-ro 71beon-gil, Michuhol-gu, Incheon 22121, Korea

Manufacturer: Same as above

Standard(s): EN 60947-4-3:2014

This Certificate of conformity is based on the evaluation of samples of the product. It does not imply an assessment of the production and it does not permit the use of a mark of conformity or of a safety mark of the TÜV NORD GROUP. The holder of this certificate may use this Certificate together with his EC-Declaration of Conformity.



Young-Cheon Kim
Product Certification Business Unit
TÜV NORD KOREA LTD.

TÜV NORD Korea Ltd.
20 Dogok-ro 3-gil, Gangnam-gu,
Seoul 06254, Korea
Tel.: +82-2-2188-0070
Fax: +82-2-556-3065
E-mail: tnk@tuv-nord.com

Annex 1 to Certificate No.: **K13453/L23**

File reference: KP-23-251

Type designation:

TPR-3SLab-cde

a = 025, 040, 055, 070, 090, 130 or 160; a stands for rated operational current

b = L or H; b stands for rated operational voltage (L : AC 100 - 240 V, H : AC 380 - 440 V)

c = C or blank; c stands for transmission option (C : RS485 transmission)

d = N or blank; d stands for fuse option (N : No fuse)

e = F or blank; e stands for fan option (F : Fan installed)

TPR-3SLab-EP

a = 025, 040, 055, 070, 090, 130 or 160; a stands for rated operational current

b = L or H; b stands for rated operational voltage (L : AC 100 - 240 V, H : AC 100 - 440 V)

TPR-3CHab-EC

a = 025, 040, 055, 070, 090, 130 or 160; a stands for rated operational current

b = L or H; b stands for rated operational voltage (L : AC 100 - 240 V, H : AC 100 - 440 V)