



www.npower.com.vn

Tài liệu được tổng hợp bởi đội ngũ kỹ thuật của **NPOWER**
Bản quyền nội dung thuộc về công ty **JITOOL**



<Fastener Specifications>

DT

HEAD WIDTH

0.153"
(3.9mm)

0.047"
(1.2mm)

- 1-3/16" (30mm)
- 1-3/8" (35mm)
- 1-1/2" (38mm)
- 1-9/16" (40mm)
- 1-3/4" (45mm)
- 2" (50mm)
- 2-1/4" (57mm)
- 2-1/2" (64mm)

WIDTH
0.064"
(1.65mm)

THICKNESS
0.086"
(2.2mm)

ST


HEAD WIDTH

0.256"
(6.5mm)

0.070"
(1.8mm)

- 3/4" (18mm)
- 1" (25mm)
- 1-1/4" (32mm)
- 1-1/2" (38mm)
- 1-3/4" (45mm)
- 2" (50mm)
- 2-1/4" (57mm)
- 2-1/2" (64mm)

Shank Diameter
0.086"
(2.2mm)



(REV. : 2024/07/08)

NO.	DESCRIPTION	PART NO.	QTY	NO.	DESCRIPTION	PART NO.	QTY	NO.	DESCRIPTION	PART NO.	QTY
1	BOLT (M6x28L)	Z-06-280	4	30	END CAP	JNS45-B-002	1	58	CONNECTOR HOLDER	CT64-S-005	1
2	SPRING WASHER (for M6)	W-06	4	31	PLUG CAP	9032-B-006	1	59	CONNECTOR SPRING	CT64-S-004	1
3	BOLT (M6x15L)	ZN-06-150	1	32	AIR PLUG	9032-B-005	1	60	CONNECTOR HOUSING	CT64RS-S-003	1
4	EXHAUST WASHER	CT64-C-007	1	33	BOLT (M6x32L)	ZN-06-320	2	65	TRIGGER A (OUT)	CT64RS-T-001	1
5	EXHAUST COVER	JN45R-C-003	1	34	GUIDE COVER A	CT64RN-G-002	1	66	TRIGGER B (IN)	CT64RS-T-002	1
6	CAP	CT64R3-C-001	1	35	DRIVER GUIDE	CT64RN-G-001	1	67	ROLL PIN (Φ2.5x16L)	R-25-160	1
7	GASKET	CT64R3-C-102	1	36	BOLT (M5x10L)	Z-05-100	2	68	BOLT (M6x15L)	ZN-06-150	1
8	PISTON STOPPER	CT64-H-005	1	37	GUIDE COVER B	CT64RN-G-003	1	70	VALVE SET	NV2-V-P001	1
9	HEAD VALVE SPRING	CT64-H-006	1	38	CONTACT ARM	CT64RN-S-001	1	71	VALVE O-RING (MID)	NV-V-001	1
10	HEAD VALVE O-RING (IN)	CT64-H-003	1	39	PUSHER	CT64-M-103	1	72	PLUNGER CAP O-RING	CT64-V-011	1
11	HEAD VALVE	CT64-H-001	1	40	MAGAZINE B	CT64-M-002	1	73	VALVE	NV2-V-003	1
12	HEAD VALVE O-RING (OUT)	CT64-H-004	1	41	TWIN NUT	CT64-M-012	2	74	VALVE PIN (Φ3x14.2L)	NV-V-013	2
13	HEAD VALVE SEAL	CT64-H-002	1	42	MAGAZINE END CAP	CT64-L-101	1	75	VALVE PLUNGER O-RING (UP)	NV-V-004	1
14	COLLAR	CT64-A-004	1	43	BOLT (M4x12L)	ZN-04-120	2	76	VALVE PLUNGER	NV2-V-007	1
15	PISTON SET	CT64RN-P-P101	1	44	BUSHING	CT64-L-007	2	77	VALVE PLUNGER SEAL	NV2-V-005	1
16	PISTON O-RING	CT64-P-003	1	45	ROLL PIN (Φ3x18L)	R-30-180	1	78	VALVE PLUNGER O-RING (LOW)	NV-V-006	1
17	PISTON ASSEMBLY	CT64RN-P-P102	1	46	CLICK LEVER SPRING	CT64-L-004	1	79	PLUNGER O-RING	CT64-V-008	2
18	CYLINDER	CT64-A-001	1	47	CLICK LEVER	CT64-L-002	1	80	PLUNGER SPRING	NV2-V-009	1
19	CYLINDER O-RING	CT64-A-005	1	48	PUSHER SPRING	CT64-M-004	2	81	PLUNGER	NV-V-010	1
20	CYLINDER GUIDE	CT64-A-002	1	49	STEEL PLATE	CT64-M-005	1	82	PLUNGER CAP	NV-V-012	1
21	CYLINDER GUIDE O-RING	CT64-A-006	1	50	BOLT (M5x20L)	ZN-05-200	2	83	PUSHER HOLDER	CT64-M-013	2
22	SUPPLY HOLE SEAL	CT64-A-007	1	51	MAGAZINE A	CT64-M-101	1	84	TRIGGER SPRING	1013-T-006	1
23	BUMPER	CT64-A-003	1	52	BRACKET	CT64-M-006	1	86	BODY	CT64RS-B-101	1
24	NOZZLE	CT64RS-B-007	1	53	BOLT (M4x9L)	ZN-04-090	2	87	TRIGGER LEVER	CT64RS-T-006	1
25	ROLL PIN (Φ3x28L)	R-30-280	2	54	BOLT (M4x8L)	Z-04-080	2	88	CAP LEVER SPRING	CT64RS-T-008	1
26	ROLL PIN (Φ3x22L)	R-30-220	1	55	SPRING WASHER (for M4)	W-04	4	89	TRIGGER LEVER CAP	CT64RS-T-007	1
28	GRIP	CT64R3-B-004	1	56	RETAINER	CT64-S-006	1				
29	END CAP O-RING	JNS45-B-003	1	57	CONNECTOR	CT64RS-S-002	1				

** All the parts of nailer can be changed for improvement and re-design without announcement.