

## Product Information

### 49 41 A01

#### Precision Circlip Pliers

For external circlips on shafts



Ø 3-10 mm



#### General

Article No.	49 41 A01
EAN	4003773061755
pliers	grey atramentized
Handles	with non-slip plastic coating
Weight	102 g
Dimensions	130 x 62 x 11 mm
Standard	DIN 5254 B
REACH compliant	does not contain SVHC
RoHS compliant	not applicable

Technical changes and errors excepted



[www.npower.com.vn](http://www.npower.com.vn)

Tài liệu được tổng hợp bởi đội ngũ kỹ thuật của NPOWER  
Bản quyền nội dung thuộc về công ty KNIPEX



**V**ANPOWER  
Powered by  
Navitech

## CUNG ỨNG NGÀNH HÀNG KIM KHÍ TỔNG HỢP

---

### Máy kim khí, đồ nghề, thiết bị điện và vật tư ngũ kim

**WORK LIKE A PRO**  
**ĐỒ THIỆT CHO DÂN THỦ THIỆT**  
[npower.com.vn](http://npower.com.vn)



NPOWER.COM.VN

ZALO OFFICIAL ACCOUNT

## Product Information

### 49 41 A11

#### Precision Circlip Pliers

For external circlips on shafts



- With inserted tips for reliable work
- Highly resilient under continuous use: up to 10 times longer service life compared to turned tips
- Precise, smoothly-operating screw joint
- Forged
- Large contact faces on the tips: no distortion of circlips, easy fitting
- Slim head style allows use in confined areas
- Internal opening spring, protected and captive
- Handles with non-slip plastic coating
- With overexpansion guard (adjustable using end stop)

Ø MM 290°




#### General

Article No.	49 41 A11
EAN	4003773079606
pliers	grey atramentized
Handles	with non-slip plastic coating
Weight	102 g
Dimensions	130 x 63 x 11 mm
Standard	DIN 5254 B
REACH compliant	does not contain SVHC
RoHS compliant	not applicable

Technical changes and errors excepted

**KNIPEX** Quality – Made in Germany



## Product Information

### 49 41 A21

#### Precision Circlip Pliers

For external circlips on shafts



Ø 19 - 60 mm



- With inserted tips for reliable work
- Highly resilient under continuous use: up to 10 times longer service life compared to turned tips
- Precise, smoothly-operating screw joint
- Forged
- Large contact faces on the tips: no distortion of circlips, easy fitting
- Slim head style allows use in confined areas
- Internal opening spring, protected and captive
- Handles with non-slip plastic coating
- With overexpansion guard (adjustable using end stop)

#### General

Article No.	49 41 A21
EAN	4003773079613
pliers	grey atramentized
Handles	with non-slip plastic coating
Weight	169 g
Dimensions	165 x 36 x 13 mm
Standard	DIN 5254 B
REACH compliant	does not contain SVHC
RoHS compliant	not applicable

Technical changes and errors excepted

KNIPEX Quality – Made in Germany



## Product Information

### 49 41 A31

#### Precision Circlip Pliers

For external circlips on shafts

- With inserted tips for reliable work
- Highly resilient under continuous use: up to 10 times longer service life compared to turned tips
- Precise, smoothly-operating screw joint
- Forged
- Large contact faces on the tips: no distortion of circlips, easy fitting
- Slim head style allows use in confined areas
- Internal opening spring, protected and captive
- Handles with non-slip plastic coating
- With overexpansion guard (adjustable using end stop)



Ø mm 290°



#### General

Article No.	49 41 A31
EAN	4003773079620
pliers	grey atramentized
Handles	with non-slip plastic coating
Weight	272 g
Dimensions	210 x 42 x 14 mm
Standard	DIN 5254 B
REACH compliant	does not contain SVHC
RoHS compliant	not applicable

Technical changes and errors excepted

KNIPEX Quality – Made in Germany

