

Product Information

67 01 140

High Leverage End Cutting Nipper

- With cutting edges for soft, hard and piano wire
- High cutting capacity with little effort due to optimum coordination of cutting edge angle and transmission ratio
- Cutting edges additionally induction-hardened, cutting edge hardness approx. 64 HRC



| General | |
|--|-----------------------|
| Article No. | 67 01 140 |
| EAN | 4003773043690 |
| pliers | black atramentized |
| Head | polished |
| Handles | plastic coated |
| Weight | 152 g |
| Dimensions | 140 x 50 x 15 mm |
| Standard | DIN ISO 5748 |
| REACH compliant | does not contain SVHC |
| RoHS compliant | not applicable |
| Technical details | |
| Cutting capacities soft wire (diameter) | Ø 4 mm |
| Cutting capacities medium hard wire (diameter) | Ø 3.1 mm |
| Cutting capacities hard wire (diameter) | Ø 2.0 mm |
| Cutting capacities piano wire (diameter) | Ø 1.5 mm |

Technical changes and errors excepted

www.npower.com.vn

Tài liệu được tổng hợp bởi đội ngũ kỹ thuật của **NPOWER**
 Bản quyền nội dung thuộc về công ty **KNIPEX**





Product Information

67 01 160

High Leverage End Cutting Nipper

- With cutting edges for soft, hard and piano wire
- High cutting capacity with little effort due to optimum coordination of cutting edge angle and transmission ratio
- Cutting edges additionally induction-hardened, cutting edge hardness approx. 64 HRC



| General | |
|--|-----------------------|
| Article No. | 67 01 160 |
| EAN | 4003773040620 |
| pliers | black atramentized |
| Head | polished |
| Handles | plastic coated |
| Weight | 237 g |
| Dimensions | 160 x 52 x 16 mm |
| Standard | DIN ISO 5748 |
| REACH compliant | does not contain SVHC |
| RoHS compliant | not applicable |
| Technical details | |
| Cutting capacities soft wire (diameter) | Ø 4 mm |
| Cutting capacities medium hard wire (diameter) | Ø 3.4 mm |
| Cutting capacities hard wire (diameter) | Ø 2.5 mm |
| Cutting capacities piano wire (diameter) | Ø 2.0 mm |

Technical changes and errors excepted



Product Information

67 01 200

High Leverage End Cutting Nipper

- With cutting edges for soft, hard and piano wire
- High cutting capacity with little effort due to optimum coordination of cutting edge angle and transmission ratio
- Cutting edges additionally induction-hardened, cutting edge hardness approx. 64 HRC



| General | |
|--|-----------------------|
| Article No. | 67 01 200 |
| EAN | 4003773040637 |
| pliers | black atramentized |
| Head | polished |
| Handles | plastic coated |
| Weight | 318 g |
| Dimensions | 200 x 50 x 16 mm |
| Standard | DIN ISO 5748 |
| REACH compliant | does not contain SVHC |
| RoHS compliant | not applicable |
| Technical details | |
| Cutting capacities soft wire (diameter) | Ø 5 mm |
| Cutting capacities medium hard wire (diameter) | Ø 3.8 mm |
| Cutting capacities hard wire (diameter) | Ø 3.0 mm |
| Cutting capacities piano wire (diameter) | Ø 2.5 mm |

Technical changes and errors excepted

