

68 01 160

End Cutting Nipper

- Suitable for twisting and cutting binding wire
- The head shape provides optimised movement when tightening steel mesh knots during reinforced concrete work
- · With cutting edges for soft and hard wire
- Cutting edges additionally hardened; cutting edge hardness approx. 61 HRC





General		
Article No.	68 01 160	
EAN	4003773013792	
pliers	black atramentized	
Head	polished	
Handles	plastic coated	
Weight	202 g	
Dimensions	160 x 53 x 14 mm	
Standard	DIN ISO 5748	
REACH compliant	does not contain SVHC	
RoHS compliant	not applicable	
Technical details		
Cutting capacities medium hard wire (diameter)	Ø 2.8 mm	
Cutting capacities hard wire (diameter)	Ø 2.3 mm	
Cutting edge length mm (C)	25 mm	











www.npower.com.vn

Tài liệu được tổng hợp bởi đội ngũ kỹ thuật của **NPOWER** Bản quyền nội dung thuộc về công ty **KNIPEX**







68 01 180

End Cutting Nipper

- Suitable for twisting and cutting binding wire
- The head shape provides optimised movement when tightening steel mesh knots during reinforced concrete work
- · With cutting edges for soft and hard wire
- Cutting edges additionally hardened; cutting edge hardness approx. 61 HRC





General		
Article No.	68 01 180	
EAN	4003773013808	
pliers	black atramentized	
Head	polished	
Handles	plastic coated	
Weight	284 g	
Dimensions	180 x 50 x 30 mm	
Standard	DIN ISO 5748	
REACH compliant	does not contain SVHC	
RoHS compliant	not applicable	
Technical details		
Cutting capacities medium hard wire (diameter)	Ø 3.2 mm	
Cutting capacities hard wire (diameter)	Ø 2.5 mm	
Cutting edge length mm (C)	29 mm	

KNIPEX Quality – Made in Germany











68 01 200

End Cutting Nipper

- Suitable for twisting and cutting binding wire
- The head shape provides optimised movement when tightening steel mesh knots during reinforced concrete work
- · With cutting edges for soft and hard wire
- Cutting edges additionally hardened; cutting edge hardness approx. 61 HRC






General		
Article No.	68 01 200	
EAN	4003773013815	
pliers	black atramentized	
Head	polished	
Handles	plastic coated	
Weight	319 g	
Dimensions	200 x 50 x 32 mm	
Standard	DIN ISO 5748	
REACH compliant	does not contain SVHC	
RoHS compliant	not applicable	
Technical details		
Cutting capacities medium hard wire (diameter)	Ø 3.5 mm	
Cutting capacities hard wire (diameter)	Ø 2.8 mm	
Cutting edge length mm (C)	31 mm	

KNIPEX Quality – Made in Germany







68 01 280

End Cutting Nipper

- Suitable for twisting and cutting binding wire
- The head shape provides optimised movement when tightening steel mesh knots during reinforced concrete work
- · With cutting edges for soft and hard wire
- Cutting edges additionally hardened; cutting edge hardness approx. 61 HRC





General		
Article No.	68 01 280	
EAN	4003773077664	
pliers	black atramentized	
Head	polished	
Handles	plastic coated	
Weight	465 g	
Dimensions	280 x 50 x 32 mm	
Standard	DIN ISO 5748	
REACH compliant	does not contain SVHC	
RoHS compliant	not applicable	
Technical details		
Cutting capacities medium hard wire (diameter)	Ø 4.0 mm	
Cutting capacities hard wire (diameter)	Ø 3.2 mm	
Cutting edge length mm (C)	33 mm	

KNIPEX Quality – Made in Germany







