

Product Information

70 07 160

Diagonal Cutter



- Narrow head style for use in confined areas
- The indispensable diagonal cutter for all-round use
- High-quality material and precise workmanship for long service life
- Precision cutting edges for soft and hard wire
- Clean cutting of thin copper wires, also at the cutting edge tips
- Cutting edges additionally induction-hardened, cutting edge hardness approx. 61 HRC
- With elongated cutting edge

General	
Article No.	70 07 160
EAN	4003773018155
pliers	chrome-plated
Head	chrome-plated
Handles	with dipped insulation, VDE-tested
Weight	227 g
Dimensions	160 x 60 x 28 mm
Standard	DIN ISO 5749 DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Cutting capacities medium hard wire (diameter)	Ø 3.0 mm
Cutting capacities hard wire (diameter)	Ø 2.0 mm
VDE tested	yes

Technical changes and errors excepted

www.npower.com.vn

Tài liệu được tổng hợp bởi đội ngũ kỹ thuật của **NPOWER**
 Bản quyền nội dung thuộc về công ty **KNIPEX**

Powered by **NAVITECH** | www.navitech.co



Product Information

70 07 180

Diagonal Cutter

- Narrow head style for use in confined areas
- The indispensable diagonal cutter for all-round use
- High-quality material and precise workmanship for long service life
- Precision cutting edges for soft and hard wire
- Clean cutting of thin copper wires, also at the cutting edge tips
- Cutting edges additionally induction-hardened, cutting edge hardness approx. 61 HRC



General	
Article No.	70 07 180
EAN	4003773018179
pliers	chrome-plated
Head	chrome-plated
Handles	with dipped insulation, VDE-tested
Weight	269 g
Dimensions	180 x 62 x 30 mm
Standard	DIN ISO 5749 DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Cutting capacities medium hard wire (diameter)	Ø 3.0 mm
Cutting capacities hard wire (diameter)	Ø 2.5 mm
VDE tested	yes

Technical changes and errors excepted

