


Product Information

83 10 010

Pipe Wrench 90°

- Swedish pattern
- 90° angled jaws
- Jaws with double offset teeth
- Teeth additionally induction-hardened
- I-beam handle design
- Captive adjusting nut
- Red powder-coated, jaws bright ground
- Gripping jaws with specially hardened teeth, hardness approx. 56 HRC




General	
Article No.	83 10 010
EAN	4003773014188
pliers	red powder-coated
Weight	779 g
Dimensions	310 x 57 x 19 mm
Standard	DIN 5234
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Clamping width	42 mm
Capacities for pipes (diameter)	Ø 1 5/8 Inch
Capacities for pipes (diameter)	Ø 42 mm
Capacities for nuts	42 mm
Inner diameter, inches	Ø 1 Inch

Technical changes and errors excepted

www.npower.com.vn

Tài liệu được tổng hợp bởi đội ngũ kỹ thuật của **NPOWER**
Bản quyền nội dung thuộc về công ty **KNIPEX**



Powered by **NAVITECH** | www.navitech.co




Product Information

83 10 015

Pipe Wrench 90°

- Swedish pattern
- 90° angled jaws
- Jaws with double offset teeth
- Teeth additionally induction-hardened
- I-beam handle design
- Captive adjusting nut
- Red powder-coated, jaws bright ground
- Gripping jaws with specially hardened teeth, hardness approx. 56 HRC



General	
Article No.	83 10 015
EAN	4003773014195
pliers	red powder-coated
Weight	1,415 g
Dimensions	420 x 67 x 24 mm
Standard	DIN 5234
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Clamping width	60 mm
Capacities for pipes (diameter)	Ø 2 3/8 Inch
Capacities for pipes (diameter)	Ø 60 mm
Capacities for nuts	60 mm
Inner diameter, inches	Ø 1 1/2 Inch

Technical changes and errors excepted




Product Information

83 10 020

Pipe Wrench 90°

- Swedish pattern
- 90° angled jaws
- Jaws with double offset teeth
- Teeth additionally induction-hardened
- I-beam handle design
- Captive adjusting nut
- Red powder-coated, jaws bright ground
- Gripping jaws with specially hardened teeth, hardness approx. 56 HRC



General	
Article No.	83 10 020
EAN	4003773014201
pliers	red powder-coated
Weight	2,600 g
Dimensions	560 x 82 x 30 mm
Standard	DIN 5234
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Clamping width	70 mm
Capacities for pipes (diameter)	Ø 2 3/4 Inch
Capacities for pipes (diameter)	Ø 70 mm
Capacities for nuts	70 mm
Inner diameter, inches	Ø 2 Inch

Technical changes and errors excepted




Product Information

83 10 030

Pipe Wrench 90°

- Swedish pattern
- 90° angled jaws
- Jaws with double offset teeth
- Teeth additionally induction-hardened
- I-beam handle design
- Captive adjusting nut
- Red powder-coated, jaws bright ground
- Gripping jaws with specially hardened teeth, hardness approx. 56 HRC



General	
Article No.	83 10 030
EAN	4003773022329
pliers	red powder-coated
Weight	3,433 g
Dimensions	650 x 96 x 25 mm
Standard	DIN 5234
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Clamping width	110 mm
Capacities for pipes (diameter)	Ø 4 3/8 Inch
Capacities for pipes (diameter)	Ø 110 mm
Capacities for nuts	105 mm
Inner diameter, inches	Ø 3 Inch

Technical changes and errors excepted




Product Information

83 10 040

Pipe Wrench 90°

- Swedish pattern
- 90° angled jaws
- Jaws with double offset teeth
- Teeth additionally induction-hardened
- I-beam handle design
- Captive adjusting nut
- Red powder-coated, jaws bright ground
- Gripping jaws with specially hardened teeth, hardness approx. 56 HRC



General	
Article No.	83 10 040
EAN	4003773022336
pliers	red powder-coated
Weight	4,921 g
Dimensions	750 x 88 x 25 mm
Standard	DIN 5234
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Clamping width	130 mm
Capacities for pipes (diameter)	Ø 5 1/8 Inch
Capacities for pipes (diameter)	Ø 130 mm
Capacities for nuts	130 mm
Inner diameter, inches	Ø 4 Inch

Technical changes and errors excepted

