

## Product Information

**83 60 010**

### Pipe Wrench S-Type

With fast adjustment

- Pinch guard prevents operators' fingers being pinched
- Time-saving, precise adjustment of the gripping width directly on the work-piece at the push of a button
- Less effort required due to self-locking action
- No unintentional shifting of the jaws
- Teeth specially hardened for high wear resistance
- Maximum load capability thanks to completely hardened handles
- Gripping jaws with specially hardened teeth, hardness approx. 56 HRC



General	
Article No.	83 60 010
EAN	4003773075424
pliers	red powder-coated
Weight	898 g
Dimensions	330 x 70 x 25 mm
Standard	DIN 5234
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Capacities for pipes (diameter)	Ø 1 5/8 Inch
Capacities for pipes (diameter)	Ø 42 mm
Capacities for nuts	42 mm
Inner diameter, inches	Ø 1 Inch
Pipe inner dia.	25 mm


Technical changes and errors excepted

**www.npower.com.vn**

Tài liệu được tổng hợp bởi đội ngũ kỹ thuật của **NPOWER**  
Bản quyền nội dung thuộc về công ty **KNIPEX**



Powered by **NAVITECH** | [www.navitech.co](http://www.navitech.co)



## Product Information

# 83 60 015

## Pipe Wrench S-Type

With fast adjustment

- Pinch guard prevents operators' fingers being pinched
- Time-saving, precise adjustment of the gripping width directly on the work-piece at the push of a button
- Less effort required due to self-locking action
- No unintentional shifting of the jaws
- Teeth specially hardened for high wear resistance
- Maximum load capability thanks to completely hardened handles
- Gripping jaws with specially hardened teeth, hardness approx. 56 HRC




### General

Article No.	83 60 015
EAN	4003773075677
pliers	red powder-coated
Weight	1,470 g
Dimensions	420 x 84 x 28 mm
Standard	DIN 5234
REACH compliant	does not contain SVHC
RoHS compliant	not applicable

### Technical details

Clamping width	60 mm
Capacities for pipes (diameter)	Ø 2 3/8 Inch
Capacities for pipes (diameter)	Ø 60 mm
Capacities for nuts	60 mm
Inner diameter, inches	Ø 1 1/2 Inch
Pipe inner dia.	37.5 mm

*Technical changes and errors excepted*



## Product Information

# 83 60 020

## Pipe Wrench S-Type

With fast adjustment

- Pinch guard prevents operators' fingers being pinched
- Time-saving, precise adjustment of the gripping width directly on the work-piece at the push of a button
- Less effort required due to self-locking action
- No unintentional shifting of the jaws
- Teeth specially hardened for high wear resistance
- Maximum load capability thanks to completely hardened handles
- Gripping jaws with specially hardened teeth, hardness approx. 56 HRC



General	
Article No.	83 60 020
EAN	4003773078838
pliers	red powder-coated
Weight	2,366 g
Dimensions	560 x 94 x 32 mm
Standard	DIN 5234
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Capacities for pipes (diameter)	Ø 2 3/4 Inch
Capacities for pipes (diameter)	Ø 70 mm
Capacities for nuts	70 mm
Inner diameter, inches	Ø 2 Inch
Pipe inner dia.	50 mm

*Technical changes and errors excepted*

