

## Product Information

# 86 01 180

## Pliers Wrench

Pliers and a wrench in a single tool



- Replaces the need for sets of metric and imperial spanners
- Smooth jaws for damage free installation of plated fittings - working directly on chrome!
- Fast adjustment by pushing a button directly on the workpiece
- Great for gripping, holding, pressing and bending workpieces
- High lever transmission for strong gripping power
- Zero backlash jaw pressure prevents damage to edges of sensitive components
- Parallel jaws give a more solid grip; its design allows flexible adjustment of all widths up to the specified maximum size
- Reliable catching of the hinge bolt: no unintentional shifting
- The ratchet type principle allows quick and easy tightening and release of all bolted connections
- Increased gripping capacity thanks to two additional setting positions: variable gripping of all widths across flats up to 40 mm
- 10% less weight with the same stability
- Practical adjustment scale: a laser-cut scale allows the wrench opening to be set before gripping




### General

Article No.	86 01 180
EAN	4003773084273
pliers	grey atramentized
Head	polished
Handles	with non-slip plastic coating
Weight	230 g
Dimensions	180 x 46 x 15 mm
Standard	DIN ISO 8976
REACH compliant	does not contain SVHC
RoHS compliant	not applicable

### Technical details

Jaw thickness (joint) (B2)	8.0 mm
Joint thickness (B3)	12.0 mm
Tips thickness (B1)	5.0 mm
Adjustment positions	15
Capacities for nuts	Ø 1 1/2 Inch
Capacities for nuts	40 mm

Technical changes and errors excepted



**[www.npower.com.vn](http://www.npower.com.vn)**

Tài liệu được tổng hợp bởi đội ngũ kỹ thuật của **NPOWER**  
Bản quyền nội dung thuộc về công ty **KNIPEX**



## Product Information

# 86 01 250

## Pliers Wrench

Pliers and a wrench in a single tool



- Replaces the need for sets of metric and imperial spanners
- Smooth jaws for damage free installation of plated fittings - working directly on chrome!
- Fast adjustment by pushing a button directly on the workpiece
- Great for gripping, holding, pressing and bending workpieces
- High lever transmission for strong gripping power
- Zero backlash jaw pressure prevents damage to edges of sensitive components
- Parallel jaws give a more solid grip; its design allows flexible adjustment of all widths up to the specified maximum size
- Reliable catching of the hinge bolt: no unintentional shifting
- The ratchet type principle allows quick and easy tightening and release of all bolted connections
- With scaling for presetting the width apart from the workpiece





### General

Article No.	86 01 250
EAN	4003773082385
pliers	grey atramentized
Head	polished
Handles	with non-slip plastic coating
Weight	465 g
Dimensions	250 x 52 x 17 mm
Standard	DIN ISO 8976
REACH compliant	does not contain SVHC
RoHS compliant	not applicable

### Technical details

Jaw thickness (joint) (B2)	8.0 mm
Joint thickness (B3)	14.0 mm
Tips thickness (B1)	8.0 mm
Adjustment positions	19
Capacities for nuts	Ø 2 Inch
Capacities for nuts	52 mm

Technical changes and errors excepted





## Product Information

# 86 01 300

## Pliers Wrench

Pliers and a wrench in a single tool

- Replaces the need for sets of metric and imperial spanners
- Smooth jaws for damage free installation of plated fittings - working directly on chrome!
- Fast adjustment by pushing a button directly on the workpiece
- Great for gripping, holding, pressing and bending workpieces
- High lever transmission for strong gripping power
- Zero backlash jaw pressure prevents damage to edges of sensitive components
- Parallel jaws give a more solid grip; its design allows flexible adjustment of all widths up to the specified maximum size
- Reliable catching of the hinge bolt: no unintentional shifting
- The ratchet type principle allows quick and easy tightening and release of all bolted connections



General	
Article No.	86 01 300
EAN	4003773084662
pliers	grey atramentized
Head	polished
Handles	with non-slip plastic coating
Weight	645 g
Dimensions	300 x 68 x 17 mm
Standard	DIN ISO 8976
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Jaw thickness (joint) (B2)	9.5 mm
Joint thickness (B3)	15.0 mm
Tips thickness (B1)	9.5 mm
Capacities for nuts	Ø 2 1/2 Inch
Capacities for nuts	68 mm

Technical changes and errors excepted

