

Product Information

87 01 400

KNIPEX Cobra® XL

Pipe Wrench and Water Pump Pliers

- Greater gripping capacity but much lower weight than comparable pipe wrenches
- Fast push-button adjustment directly on the workpiece, no unintentional slipping of the joint
- Fine adjustment for optimum adaptation to different sizes of workpieces and a comfortable handle width
- Self-clamping on pipes and nuts: no slipping on the workpiece, effortless working
- Gripping surfaces with special hardened teeth, teeth hardness approx. 61 HRC: high wear resistance and stable gripping
- Box-joint design for high stability due to double guide
- Pinch guard prevents operators' fingers being pinched



General	
Article No.	87 01 400
EAN	4003773005636
pliers	grey atramentized
Head	polished
Handles	with non-slip plastic coating
Weight	1,190 g
Dimensions	400 x 75 x 22 mm
Standard	DIN ISO 8976
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Adjustment positions	27
Capacities for pipes (diameter)	Ø 3 1/2 Inch
Capacities for nuts	95 mm
Capacities for pipes (diameter)	Ø 90 mm

Technical changes and errors excepted

www.npower.com.vn

Tài liệu được tổng hợp bởi đội ngũ kỹ thuật của **NPOWER**
Bản quyền nội dung thuộc về công ty **KNIPEX**





Product Information

87 01 560

KNIPEX Cobra® XXL

Pipe Wrench and Water Pump Pliers

- Greater gripping capacity but much lower weight than comparable pipe wrenches
- Fast push-button adjustment directly on the workpiece, no unintentional slipping of the joint
- Fine adjustment for optimum adaptation to different sizes of workpieces and a comfortable handle width
- Self-clamping on pipes and nuts: no slipping on the workpiece, effortless working
- Gripping surfaces with special hardened teeth, teeth hardness approx. 61 HRC: high wear resistance and stable gripping
- Box-joint design for high stability due to double guide
- Pinch guard prevents operators' fingers being pinched



General	
Article No.	87 01 560
EAN	4003773044321
pliers	grey atramentized
Head	polished
Handles	with non-slip plastic coating
Weight	2,780 g
Dimensions	560 x 103 x 29 mm
Standard	DIN ISO 8976
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Adjustment positions	20
Capacities for pipes (diameter)	Ø 4 1/2 Inch
Capacities for nuts	120 mm
Capacities for pipes (diameter)	Ø 115 mm

Technical changes and errors excepted



