

Product Information

87 26 250

KNIPEX Cobra® VDE

High-Tech Water Pump Pliers, insulated

- Adjustment by sliding one jaw directly on to the workpiece: fast, reliable and comfortable handling
- Fine adjustment: allows optimum adjustment to differently sized workpieces and comfortable handle position
- Good access to the workpiece due to slim size of head and joint area
- Self-clamping on pipes and nuts: no slipping on the workpiece, effortless working
- Gripping surfaces with special hardened teeth, teeth hardness approx. 61 HRC: high wear resistance and stable gripping
- Box-joint design for high stability due to double guide
- Pinch guard prevents operators' fingers being pinched



⚡ 1000V 



General	
Article No.	87 26 250
EAN	4003773071495
pliers	chrome-plated
Head	chrome-plated
Handles	insulated with multi-component grips, VDE-tested
Weight	340 g
Dimensions	250 x 59 x 20 mm
Standard	DIN ISO 8976 DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Adjustment positions	24
Capacities for pipes (diameter)	Ø 2 in
Capacities for nuts	46 mm
Capacity for pipes, inches (diameter)	Ø 50 mm
VDE tested	yes

Technical changes and errors excepted

www.npower.com.vn

Tài liệu được tổng hợp bởi đội ngũ kỹ thuật của **NPOWER**
Bản quyền nội dung thuộc về công ty **KNIPEX**







Product Information

87 26 250 T

KNIPEX Cobra® VDE

High-Tech Water Pump Pliers, insulated

- Adjustment by sliding one jaw directly on to the workpiece: fast, reliable and comfortable handling
- Fine adjustment: allows optimum adjustment to differently sized workpieces and comfortable handle position
- Good access to the workpiece due to slim size of head and joint area
- Self-clamping on pipes and nuts: no slipping on the workpiece, effortless working
- Gripping surfaces with special hardened teeth, teeth hardness approx. 61 HRC: high wear resistance and stable gripping
- Box-joint design for high stability due to double guide
- Pinch guard prevents operators' fingers being pinched
- Pliers with integrated, insulated tether attachment point for a tool tether



⚡ 1000V 



General	
Article No.	87 26 250 T
EAN	4003773081517
pliers	chrome-plated
Head	chrome-plated
Handles	insulated with multi-component grips with integrated insulated tether attachment point
Weight	400 g
Dimensions	250 x 72 x 28 mm
Standard	DIN ISO 8976 DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Adjustment positions	24
Capacities for pipes (diameter)	Ø 2 in
Capacities for nuts	46 mm
Capacity for pipes, inches (diameter)	Ø 50 mm
Drop Protection System	yes
VDE tested	yes

Technical changes and errors excepted

