

Product Information

88 02 180

KNIPEX Alligator®

Water Pump Pliers

- Good access to the workpiece due to slim size of head and joint area
- More output and comfort compared to conventional water pump pliers of the same length: 9-notch adjustment positioning for 30 % more gripping capacity
- Self-clamping on pipes and nuts: no slipping on the workpiece, effortless working
- Gripping surfaces with special hardened teeth, teeth hardness approx. 61 HRC: high wear resistance and stable gripping
- Box-joint design for high stability due to double guide
- Robust construction, insensitive to dirt; particularly suitable for outdoor work
- Pinch guard prevents operators' fingers being pinched




General	
Article No.	88 02 180
EAN	4003773044222
pliers	black atramentized
Head	polished
Handles	with multi-component handles
Weight	210 g
Dimensions	180 x 53 x 18 mm
Standard	DIN ISO 8976
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Adjustment positions	9
Capacities for pipes (diameter)	Ø 1 1/2 Inch
Capacities for nuts	36 mm
Capacities for pipes (diameter)	Ø 42 mm

Technical changes and errors excepted

www.npower.com.vn

Tài liệu được tổng hợp bởi đội ngũ kỹ thuật của **NPOWER**
Bản quyền nội dung thuộc về công ty **KNIPEX**







Product Information

88 02 250

KNIPEX Alligator®

Water Pump Pliers

- Self-clamping on pipes and nuts: no slipping on the workpiece, effortless working
- Gripping surfaces with special hardened teeth, teeth hardness approx. 61 HRC: high wear resistance and stable gripping
- Box-joint design for high stability due to double guide
- Robust construction, insensitive to dirt; particularly suitable for outdoor work
- Pinch guard prevents operators' fingers being pinched
- With slim multi-component grips without collar for better handling and easier transport



General

Article No.	88 02 250
EAN	4003773019282
pliers	black atramentized
Head	polished
Handles	with slim multi-component grips
Weight	347 g
Dimensions	250 x 50 x 18 mm
Standard	DIN ISO 8976
REACH compliant	does not contain SVHC
RoHS compliant	not applicable

Technical details

Adjustment positions	9
Capacities for pipes (diameter)	Ø 2 Inch
Capacities for nuts	46 mm
Capacities for pipes (diameter)	Ø 50 mm

Technical changes and errors excepted





Product Information

88 02 250 T


KNIPEX Alligator®
 Water Pump Pliers

- Self-clamping on pipes and nuts: no slipping on the workpiece, effortless working
- Gripping surfaces with special hardened teeth, teeth hardness approx. 61 HRC: high wear resistance and stable gripping
- Box-joint design for high stability due to double guide
- Robust construction, insensitive to dirt; particularly suitable for outdoor work
- Pinch guard prevents operators' fingers being pinched
- Pliers with tether attachment point for mounting a fall protection system
- With slim multi-component grips without collar for better handling and easier transport



General	
Article No.	88 02 250 T
EAN	4003773080176
pliers	black atramentized
Head	polished
Handles	with slim multi-component grips, with integrated tether attachment point for a tool tether
Weight	370 g
Dimensions	250 x 55 x 19 mm
Standard	DIN ISO 8976
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Adjustment positions	9
Capacities for pipes (diameter)	Ø 2 Inch
Capacities for nuts	46 mm
Capacities for pipes (diameter)	Ø 50 mm
Drop Protection System	yes

Technical changes and errors excepted






Product Information

88 02 300

KNIPEX Alligator®



Water Pump Pliers

- Good access to the workpiece due to slim size of head and joint area
- More output and comfort compared to conventional water pump pliers of the same length: 9-notch adjustment positioning for 30 % more gripping capacity
- Self-clamping on pipes and nuts: no slipping on the workpiece, effortless working
- Gripping surfaces with special hardened teeth, teeth hardness approx. 61 HRC: high wear resistance and stable gripping
- Box-joint design for high stability due to double guide
- Robust construction, insensitive to dirt; particularly suitable for outdoor work
- Pinch guard prevents operators' fingers being pinched



General	
Article No.	88 02 300
EAN	4003773029151
pliers	black atramentized
Head	polished
Handles	with multi-component handles
Weight	565 g
Dimensions	300 x 56 x 24 mm
Standard	DIN ISO 8976
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Adjustment positions	9
Capacities for pipes (diameter)	Ø 2 3/4 Inch
Capacities for nuts	60 mm
Capacities for pipes (diameter)	Ø 70 mm

Technical changes and errors excepted





Product Information

88 02 300 T

KNIPEX Alligator®
 Water Pump Pliers

- Self-clamping on pipes and nuts: no slipping on the workpiece, effortless working
- Gripping surfaces with special hardened teeth, teeth hardness approx. 61 HRC: high wear resistance and stable gripping
- Box-joint design for high stability due to double guide
- Robust construction, insensitive to dirt; particularly suitable for outdoor work
- Pinch guard prevents operators' fingers being pinched
- Pliers with tether attachment point for mounting a fall protection system



General	
Article No.	88 02 300 T
EAN	4003773080183
pliers	black atramentized
Head	polished
Handles	with multi-component grips, with integrated tether attachment point for a tool tether
Weight	595 g
Dimensions	300 x 65 x 25 mm
Standard	DIN ISO 8976
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Adjustment positions	9
Capacities for pipes (diameter)	Ø 2 3/4 Inch
Capacities for nuts	60 mm
Capacities for pipes (diameter)	Ø 70 mm
Drop Protection System	yes

Technical changes and errors excepted



