

Product Information

88 03 180

KNIPEX Alligator®

Water Pump Pliers

- Good access to the workpiece due to slim size of head and joint area
- More output and comfort compared to conventional water pump pliers of the same length: 9-notch adjustment positioning for 30 % more gripping capacity
- Self-clamping on pipes and nuts: no slipping on the workpiece, effortless working
- Gripping surfaces with special hardened teeth, teeth hardness approx. 61 HRC: high wear resistance and stable gripping
- Box-joint design for high stability due to double guide
- Robust construction, insensitive to dirt; particularly suitable for outdoor work
- Pinch guard prevents operators' fingers being pinched



General	
Article No.	88 03 180
EAN	4003773042860
pliers	chrome-plated
Head	chrome-plated
Handles	with non-slip plastic coating
Weight	181 g
Dimensions	180 x 37 x 12 mm
Standard	DIN ISO 8976
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Adjustment positions	9
Capacities for pipes (diameter)	Ø 1 1/2 Inch
Capacities for nuts	36 mm
Capacities for pipes (diameter)	Ø 42 mm

Technical changes and errors excepted

www.npower.com.vn

Tài liệu được tổng hợp bởi đội ngũ kỹ thuật của **NPOWER**
Bản quyền nội dung thuộc về công ty **KNIPEX**







Product Information

88 03 250

KNIPEX Alligator®

Water Pump Pliers

- Good access to the workpiece due to slim size of head and joint area
- More output and comfort compared to conventional water pump pliers of the same length: 9-notch adjustment positioning for 30 % more gripping capacity
- Self-clamping on pipes and nuts: no slipping on the workpiece, effortless working
- Gripping surfaces with special hardened teeth, teeth hardness approx. 61 HRC: high wear resistance and stable gripping
- Box-joint design for high stability due to double guide
- Robust construction, insensitive to dirt; particularly suitable for outdoor work
- Pinch guard prevents operators' fingers being pinched



General	
Article No.	88 03 250
EAN	4003773005742
pliers	chrome-plated
Head	chrome-plated
Handles	with non-slip plastic coating
Weight	319 g
Dimensions	250 x 50 x 13 mm
Standard	DIN ISO 8976
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Adjustment positions	9
Capacities for pipes (diameter)	Ø 2 Inch
Capacities for nuts	46 mm
Capacities for pipes (diameter)	Ø 50 mm

Technical changes and errors excepted



