

Product Information

97 52 63

Four-Mandrel Crimping Pliers for turned contacts



- For crimping turned contacts
- Four-mandrel crimping for top-quality crimp connections
- Mandrel gauge to check the basic setting
- Repetitive, high crimping quality due to ratchet mechanism (unlockable)
- Optimum transmission of force due to highly effective lever action for fatigue-reduced operation
- High operation comfort thanks to handy shape
- Fine adjustment of pressure depending on the conductor's diameter by means of adjusting wheel
- Pliers in a plastic case with foam insert and standard locator for precise positioning of the contacts

AWA EI

General	
Article No.	97 52 63
EAN	4003773050148
pliers	chrome-plated
Head	chrome-plated
Handles	with multi-component handles
Weight	388 g
Dimensions	180 x 67 x 37 mm
REACH compliant	contains SVHC
RoHS compliant	not applicable
Technical details	

Technical details	
Application	turned contacts
Capacity in square millimetres	$0.08 - 2.5 \text{ mm}^2$
AWG	28 – 14
Number of crimp profiles	1
Max. contact diameter	5 mm

Technical changes and errors excepted

www.npower.com.vn

Tài liệu được tổng hợp bởi đội ngữ kỹ thuật của ${\bf NPOWER}$ Bản quyền nội dung thuộc về công ty ${\bf KNIPEX}$





KNIPEX Quality – Made in Germany















KNIPEX Quality – Made in Germany





