


Product Information

97 52 63 DG

Four-Mandrel Crimping Pliers for turned con-
tacts



- For crimping turned contacts
- Four-mandrel crimping for top-quality crimp connections
- Mandrel gauge to check the basic setting
- Repetitive, high crimping quality due to ratchet mechanism (unlockable)
- Optimum transmission of force due to highly effective lever action for fa-
tigue-reduced operation
- High operation comfort thanks to handy shape
- Crimping capacity can be adjusted in increments of 0.01 mm
- With digital display of the preset crimping capacities and possibility of re-cal-
ibration via RESET function with electronic wear monitoring
- Adjustment in mm, inches or comparable selection positions according to MIL
- Pliers in a plastic case with foam insert and standard locator for precise
positioning of the contacts

General	
Article No.	97 52 63 DG
EAN	4003773063209
pliers	chrome-plated
Head	chrome-plated
Handles	with multi-component handles
Weight	388 g
Dimensions	195 x 82 x 19 mm
REACH compliant	contains SVHC
RoHS compliant	not applicable
Technical details	
Application	for turned contacts from Phoenix Contact (formerly Coninvers)
Capacity in square millimetres	0.08 – 2.5 mm²
AWG	28 – 14
Number of crimp profiles	1
Max. contact diameter	5 mm

Technical changes and errors excepted

www.npower.com.vn

Tài liệu được tổng hợp bởi đội ngũ kỹ thuật của **NPOWER**
 Bản quyền nội dung thuộc về công ty **KNIPEX**



