

#### **Product Information**

#### 97 53 09

#### **Self-Adjusting Crimping Pliers for wire ferrules**

With front loading



- For crimping wire ferrules according to DIN 46228 parts 1 + 4
- Self-adjusting adaptation to the desired wire ferrule size: no wrong crimps caused by using the wrong die
- Frontal insertion of the wire ferrules into the pliers
- Repetitive, high crimping quality due to ratchet mechanism (unlockable)
- · Precise, factory calibrated crimping pressure
- High crimping force due to efficient lever action
- · Handy shape and low weight provide high operation comfort
- Approved crimping according to UL in conjunction with KNIPEX wire ferrules 97 99 330 - 399
- Compression from 0.08 10.0 and 16.0 mm<sup>2</sup> in one profile
- With selector lever for setting the crimping area either to 0.08 10 mm<sup>2</sup> or 16 mm<sup>2</sup>





General		
Article No.	97 53 09	
EAN	4003773044550	
pliers	burnished	
Handles	with multi-component handles	
Weight	486 g	
Dimensions	190 x 20 x 23 mm	
REACH compliant	contains SVHC	
RoHS compliant	not applicable	

Technical details	
Application	Wire ferrules
Capacity in square millimetres	0.08 - 10 / 16 mm <sup>2</sup>
Number of crimp profiles	1
AWG	28 – 6

Technical changes and errors excepted

#### www.npower.com.vn

Tài liệu được tổng hợp bởi đội ngũ kỹ thuật của  ${f NPOWER}$  Bản quyền nội dung thuộc về công ty  ${f KNIPEX}$ 





















































