

Product Information

97 78 180

Crimping Pliers for wire ferrules

- Light and slim design
- Easy crimping due to optimised transmission ratio
- For crimping wire ferrules according to DIN 46228 parts 1 + 4 from 0.25 to 16 mm²
- Crimping in marked half-round dies for reliable connections between the sleeve and the conductor
- 9 particularly deep dies with conical side faces



1000 V


General	
Article No.	97 78 180
EAN	4003773072003
Head	polished
Handles	insulated with multi-component grips, VDE-tested
Weight	254 g
Dimensions	180 x 54 x 28 mm
Standard	DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Application	Wire ferrules
Capacity in square millimetres	0.25 – 16.0 mm²
Number of crimp profiles	9
AWG	24 – 6
VDE tested	yes

Technical changes and errors excepted

www.npower.com.vn

Tài liệu được tổng hợp bởi đội ngũ kỹ thuật của **NPOWER**
 Bản quyền nội dung thuộc về công ty **KNIPEX**





Product Information

97 78 180 T

Crimping Pliers for wire ferrules

- Light and slim design
- Easy crimping due to optimised transmission ratio
- For crimping wire ferrules according to DIN 46228 parts 1 + 4 from 0.25 to 16 mm²
- Crimping in marked half-round dies for reliable connections between the sleeve and the conductor
- 9 particularly deep dies with conical side faces
- Pliers with integrated, insulated tether attachment point for a tool tether



1000 V



General	
Article No.	97 78 180 T
EAN	4003773081531
Head	polished
Handles	insulated with multi-component grips, VDE-tested with integrated insulated tether attachment point
Weight	260 g
Dimensions	180 x 54 x 28 mm
Standard	DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Application	Wire ferrules
Capacity in square millimetres	0.25 – 16.0 mm ²
Number of crimp profiles	9
AWG	24 – 6
Drop Protection System	yes
VDE tested	yes

Technical changes and errors excepted

