

Product Information

98 00 07

- Jaw 15° angled
- Basic tool chrome-plated

Open-end wrench



1000V



General	
Part No.	98 00 07
EAN	4003773019824
Weight	15 g
Dimensions	22 x 8 mm
Standard	DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Width across flats	7 mm
Length l max.	105 mm
Head thickness a max.	4 mm
Head width b max. mm	20 mm

Technical changes and errors excepted

www.npower.com.vn

Tài liệu được tổng hợp bởi đội ngũ kỹ thuật của **NPOWER**
 Bản quyền nội dung thuộc về **KNIPEX**





Product Information

98 00 08

- Jaw 15° angled
- Basic tool chrome-plated



Open-end wrench



1000V

General	
Part No.	98 00 08
EAN	4003773019831
Weight	31 g
Dimensions	22 x 8 mm
Standard	DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Width across flats	8 mm
Length l max.	105 mm
Head thickness a max.	4 mm
Head width b max. mm	22 mm

Technical changes and errors excepted



Product Information

98 00 09

- Jaw 15° angled
- Basic tool chrome-plated



Open-end wrench



⚡ 1000V

General	
Part No.	98 00 09
EAN	4003773019848
Weight	29 g
Dimensions	22 x 8 mm
Standard	DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Width across flats	9 mm
Length l max.	105 mm
Head thickness a max.	4 mm
Head width b max. mm	24 mm

Technical changes and errors excepted



Product Information

98 00 10

- Jaw 15° angled
- Basic tool chrome-plated



Open-end wrench



1000V

General	
Part No.	98 00 10
EAN	4003773019893
Weight	46 g
Dimensions	26 x 12 mm
Standard	DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Width across flats	10 mm
Length l max.	105 mm
Head thickness a max.	5 mm
Head width b max. mm	27 mm

Technical changes and errors excepted



Product Information

98 00 11

- Jaw 15° angled
- Basic tool chrome-plated




Open-end wrench



1000 V

General	
Part No.	98 00 11
EAN	4003773019909
Weight	45 g
Dimensions	29 x 11 mm
Standard	DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Width across flats	11 mm
Length l max.	120 mm
Head thickness a max.	5.5 mm
Head width b max. mm	30 mm

Technical changes and errors excepted



Product Information

98 00 12

- Jaw 15° angled
- Basic tool chrome-plated




Open-end wrench



1000V

General	
Part No.	98 00 12
EAN	4003773019923
Weight	70 g
Dimensions	31 x 11 mm
Standard	DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Width across flats	12 mm
Length l max.	125 mm
Head thickness a max.	5.5 mm
Head width b max. mm	32 mm

Technical changes and errors excepted



Product Information

98 00 13

- Jaw 15° angled
- Basic tool chrome-plated



Open-end wrench



1000 V

General	
Part No.	98 00 13
EAN	4003773019930
Weight	68 g
Dimensions	26 x 26 mm
Standard	DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Width across flats	13 mm
Length l max.	130 mm
Head thickness a max.	6.5 mm
Head width b max. mm	34 mm

Technical changes and errors excepted



Product Information

98 00 14

- Jaw 15° angled
- Basic tool chrome-plated




Open-end wrench



1000V

General	
Part No.	98 00 14
EAN	4003773019947
Weight	86 g
Dimensions	37 x 12 mm
Standard	DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Width across flats	14 mm
Length l max.	135 mm
Head thickness a max.	6.5 mm
Head width b max. mm	35 mm

Technical changes and errors excepted



Product Information

98 00 15

- Jaw 15° angled
- Basic tool chrome-plated




Open-end wrench



1000V

General	
Part No.	98 00 15
EAN	4003773019954
Weight	80 g
Dimensions	35 x 12 mm
Standard	DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Width across flats	15 mm
Length l max.	145 mm
Head thickness a max.	7 mm
Head width b max. mm	37 mm

Technical changes and errors excepted



Product Information

98 00 16

- Jaw 15° angled
- Basic tool chrome-plated




Open-end wrench



1000V

General	
Part No.	98 00 16
EAN	4003773019961
Weight	112 g
Dimensions	37 x 15 mm
Standard	DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Width across flats	16 mm
Length l max.	155 mm
Head thickness a max.	7 mm
Head width b max. mm	38 mm

Technical changes and errors excepted



Product Information

98 00 17

- Jaw 15° angled
- Basic tool chrome-plated




Open-end wrench



⚡ 1000 V

General	
Part No.	98 00 17
EAN	4003773019978
Weight	119 g
Dimensions	39 x 15 mm
Standard	DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Width across flats	17 mm
Length l max.	155 mm
Head thickness a max.	8 mm
Head width b max. mm	42 mm

Technical changes and errors excepted



Product Information

98 00 18

- Jaw 15° angled
- Basic tool chrome-plated




Open-end wrench



⚡ 1000 V

General	
Part No.	98 00 18
EAN	4003773019985
Weight	149 g
Dimensions	40 x 15 mm
Standard	DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Width across flats	18 mm
Length l max.	160 mm
Head thickness a max.	8 mm
Head width b max. mm	44 mm

Technical changes and errors excepted



Product Information

98 00 19

- Jaw 15° angled
- Basic tool chrome-plated




Open-end wrench



1000V

General	
Part No.	98 00 19
EAN	4003773019992
Weight	154 g
Dimensions	44 x 15 mm
Standard	DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Width across flats	19 mm
Length l max.	165 mm
Head thickness a max.	9 mm
Head width b max. mm	47 mm

Technical changes and errors excepted



Product Information

98 00 22

- Jaw 15° angled
- Basic tool chrome-plated




Open-end wrench



1000V

General	
Part No.	98 00 22
EAN	4003773020004
Weight	216 g
Dimensions	53 x 17 mm
Standard	DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Width across flats	22 mm
Length l max.	190 mm
Head thickness a max.	9 mm
Head width b max. mm	52 mm

Technical changes and errors excepted



Product Information

98 00 24

- Jaw 15° angled
- Basic tool chrome-plated




Open-end wrench



1000V

General	
Part No.	98 00 24
EAN	4003773020011
Weight	290 g
Dimensions	54 x 19 mm
Standard	DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Width across flats	24 mm
Length l max.	210 mm
Head thickness a max.	9 mm
Head width b max. mm	56 mm

Technical changes and errors excepted



Product Information

98 00 27

- Jaw 15° angled
- Basic tool chrome-plated

Open-end wrench



1000V

General	
Part No.	98 00 27
EAN	4003773020028
Weight	307 g
Dimensions	57 x 15 mm
Standard	DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Width across flats	27 mm
Width across flats S	1 Inch
Length l max.	215 mm
Head thickness a max.	9 mm
Head width b max. mm	63 mm

Technical changes and errors excepted

