

Product Information

98 26 10

Screwdrivers for Torx® screws

- Ergonomically optimised dual component handle for fatigue reduced work and optimum transmission of force
- Handle design prevents rolling



⚡ 1000V ♻️

General	
Part No.	98 26 10
EAN	4003773071709
point	burnished
Handles	insulating multi-component handle, VDE-tested
Weight	32 g
Dimensions	160 x 37 x 36 mm
Standard	DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Size	TX10
Blade length	60 mm
Handle length	102 mm
Length of non-insulated blade	15 mm
VDE tested	yes

Technical changes and errors excepted

www.npower.com.vn

Tài liệu được tổng hợp bởi đội ngũ kỹ thuật của **NPOWER**
Bản quyền nội dung thuộc về **KNIPEX**



Product Information

98 26 15

Screwdrivers for Torx® screws

- Ergonomically optimised dual component handle for fatigue reduced work and optimum transmission of force
- Handle design prevents rolling



⚡ 1000V ♻️

General	
Part No.	98 26 15
EAN	4003773071716
point	burnished
Handles	insulating multi-component handle, VDE-tested
Weight	58 g
Dimensions	185 x 37 x 36 mm
Standard	DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Size	TX15
Blade length	80 mm
Handle length	107 mm
Length of non-insulated blade	15 mm
VDE tested	yes

Technical changes and errors excepted

Product Information

98 26 20

Screwdrivers for Torx® screws

- Ergonomically optimised dual component handle for fatigue reduced work and optimum transmission of force
- Handle design prevents rolling



⚡ 1000V ♻️

General	
Part No.	98 26 20
EAN	4003773071723
point	burnished
Handles	insulating multi-component handle, VDE-tested
Weight	58 g
Dimensions	185 x 37 x 36 mm
Standard	DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Size	TX20
Blade length	80 mm
Handle length	107 mm
Length of non-insulated blade	15 mm
VDE tested	yes

Technical changes and errors excepted

Product Information

98 26 25

Screwdrivers for Torx® screws

- Ergonomically optimised dual component handle for fatigue reduced work and optimum transmission of force
- Handle design prevents rolling



⚡ 1000V ♻️

General	
Part No.	98 26 25
EAN	4003773071730
point	burnished
Handles	insulating multi-component handle, VDE-tested
Weight	58 g
Dimensions	185 x 37 x 36 mm
Standard	DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Size	TX25
Blade length	80 mm
Handle length	107 mm
Length of non-insulated blade	15 mm
VDE tested	yes

Technical changes and errors excepted

Product Information

98 26 30

Screwdrivers for Torx® screws

- Ergonomically optimised dual component handle for fatigue reduced work and optimum transmission of force
- Handle design prevents rolling



⚡ 1000V ♻️

General	
Part No.	98 26 30
EAN	4003773071747
point	burnished
Handles	insulating multi-component handle, VDE-tested
Weight	94 g
Dimensions	210 x 37 x 36 mm
Standard	DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Size	TX30
Blade length	100 mm
Handle length	112 mm
Length of non-insulated blade	18 mm
VDE tested	yes

Technical changes and errors excepted