

Product Information

98 37 10

- For metric hexagonal head screws
- Basic tool chrome-plated

Hexagon Socket for hexagonal screws

With internal square 3/8"



1000V

General	
Part No.	98 37 10
EAN	4003773020578
Weight	32 g
Dimensions	42 x 23 x 23 mm
Standard	DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Width across flats S	10 mm
Ø of effective tool side d max.	18.7 mm
Square drive	0 3/8 Inch

Technical changes and errors excepted

www.npower.com.vn

Tài liệu được tổng hợp bởi đội ngũ kỹ thuật của **NPOWER**
 Bản quyền nội dung thuộc về **KNIPEX**





Product Information

98 37 11

- For metric hexagonal head screws
- Basic tool chrome-plated

Hexagon Socket for hexagonal screws


With internal square 3/8"



1000V

General	
Part No.	98 37 11
EAN	4003773020585
Weight	32 g
Dimensions	43 x 23 x 23 mm
Standard	DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Width across flats S	11 mm
Ø of effective tool side d max.	20.0 mm
Square drive	0 3/8 Inch

Technical changes and errors excepted



Product Information

98 37 12

- For metric hexagonal head screws
- Basic tool chrome-plated

Hexagon Socket for hexagonal screws


With internal square 3/8"



 1000V

General	
Part No.	98 37 12
EAN	4003773020608
Weight	33 g
Dimensions	44 x 22 x 22 mm
Standard	DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Width across flats S	12 mm
Ø of effective tool side d max.	21.2 mm
Square drive	0 3/8 Inch

Technical changes and errors excepted



Product Information

98 37 13

- For metric hexagonal head screws
- Basic tool chrome-plated

Hexagon Socket for hexagonal screws


With internal square 3/8"



 1000V

General	
Part No.	98 37 13
EAN	4003773020615
Weight	33 g
Dimensions	45 x 23 x 23 mm
Standard	DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Width across flats S	13 mm
Ø of effective tool side d max.	22.5 mm
Square drive	0 3/8 Inch

Technical changes and errors excepted



Product Information

98 37 14

- For metric hexagonal head screws
- Basic tool chrome-plated

Hexagon Socket for hexagonal screws

With internal square 3/8"



⚡ 1000V

General

Part No.	98 37 14
EAN	4003773020622
Weight	39 g
Dimensions	46 x 25 x 25 mm
Standard	DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable

Technical details

Width across flats S	14 mm
Ø of effective tool side d max.	23.7 mm
Square drive	0 3/8 Inch

Technical changes and errors excepted



Product Information

98 37 16

- For metric hexagonal head screws
- Basic tool chrome-plated

Hexagon Socket for hexagonal screws

With internal square 3/8"



⚡ 1000V

General	
Part No.	98 37 16
EAN	4003773027263
Weight	53 g
Dimensions	46 x 27 x 27 mm
Standard	DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Width across flats S	16 mm
Ø of effective tool side d max.	26.2 mm
Square drive	0 3/8 Inch

Technical changes and errors excepted



Product Information

98 37 17

- For metric hexagonal head screws
- Basic tool chrome-plated

Hexagon Socket for hexagonal screws

With internal square 3/8"



⚡ 1000V

General

Part No.	98 37 17
EAN	4003773020639
Weight	61 g
Dimensions	46 x 29 x 29 mm
Standard	DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable

Technical details

Width across flats S	17 mm
Ø of effective tool side d max.	27.5 mm
Square drive	0 3/8 Inch

Technical changes and errors excepted



Product Information

98 37 19

- For metric hexagonal head screws
- Basic tool chrome-plated

Hexagon Socket for hexagonal screws

With internal square 3/8"



⚡ 1000V

General

Part No.	98 37 19
EAN	4003773020646
Weight	73 g
Dimensions	49 x 31 x 31 mm
Standard	DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable

Technical details

Width across flats S	19 mm
Ø of effective tool side d max.	30.0 mm
Square drive	0 3/8 Inch

Technical changes and errors excepted



Product Information

98 37 22

- For metric hexagonal head screws
- Basic tool chrome-plated

Hexagon Socket for hexagonal screws

With internal square 3/8"



1000V

General	
Part No.	98 37 22
EAN	4003773089513
Weight	97 g
Dimensions	49 x 35 x 35 mm
Standard	DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Width across flats S	22 mm
Ø of effective tool side d max.	33.7 mm

Technical changes and errors excepted