

Product Information

98 37 3/4"

12-Point Socket

With internal square 3/8"



- For imperial hexagonal head screws
- Basic tool chrome-plated
- With double-hex

General

Part No.	98 37 3/4"
EAN	4003773020660
Weight	71 g
Dimensions	49 x 30 x 30 mm
Standard	DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable

Technical details

Square drive	0 3/8 Inch
Ø of effective tool side d max.	30.0 mm
Width across flats S	0 3/4 Inch

Technical changes and errors excepted

www.npower.com.vn

Tài liệu được tổng hợp bởi đội ngũ kỹ thuật của **NPOWER**
Bản quyền nội dung thuộc về **KNIPEX**



Product Information

98 37 5/8"

- For imperial hexagonal head screws
- Basic tool chrome-plated
- With double-hex

12-Point Socket

With internal square 3/8"



General

Part No.	98 37 5/8"
EAN	4003773020691
Weight	51 g
Dimensions	46 x 25 x 25 mm
Standard	DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable

Technical details

Square drive	0 3/8 Inch
Ø of effective tool side d max.	26.2 mm
Width across flats S	0 5/8 Inch

Technical changes and errors excepted

Product Information

98 37 3/8"

- For imperial hexagonal head screws
- Basic tool chrome-plated
- With double-hex

12-Point Socket

With internal square 3/8"



General

Part No.	98 37 3/8"
EAN	4003773020677
Weight	31 g
Dimensions	42 x 21 x 21 mm
Standard	DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable

Technical details

Square drive	0 3/8 Inch
Ø of effective tool side d max.	18.7 mm
Width across flats S	0 3/8 Inch

Technical changes and errors excepted

Product Information

98 37 7/16"

- For imperial hexagonal head screws
- Basic tool chrome-plated
- With double-hex

12-Point Socket

With internal square 3/8"



General

Part No.	98 37 7/16"
EAN	4003773020707
Weight	31 g
Dimensions	43 x 22 x 22 mm
Standard	DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable

Technical details

Square drive	0 3/8 Inch
Ø of effective tool side d max.	20.0 mm
Width across flats S	0 7/16 Inch

Technical changes and errors excepted

Product Information

98 37 9/16"

- For imperial hexagonal head screws
- Basic tool chrome-plated
- With double-hex

12-Point Socket

With internal square 3/8"



General

Part No.	98 37 9/16"
EAN	4003773020721
Weight	39 g
Dimensions	47 x 23 x 23 mm
Standard	DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable

Technical details

Square drive	0 3/8 Inch
Ø of effective tool side d max.	23.7 mm
Width across flats S	0 9/16 Inch

Technical changes and errors excepted

Product Information

98 37 5/16"

- For imperial hexagonal head screws
- Basic tool chrome-plated
- With double-hex

12-Point Socket

With internal square 3/8"



General

Part No.	98 37 5/16"
EAN	4003773020684
Weight	30 g
Dimensions	42 x 21 x 21 mm
Standard	DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable

Technical details

Square drive	0 3/8 Inch
Ø of effective tool side d max.	16.2 mm
Width across flats S	0 5/16 Inch

Technical changes and errors excepted