

Product Information

98 39 03

- For metric internal hexagonal head screws
- Basic tool chrome-plated

Hexagon Socket for hexagonal socket screws

With internal square 3/8"



⚡ 1000V

General	
Part No.	98 39 03
EAN	4003773089605
Weight	51 g
Dimensions	92 x 23 x 23 mm
Standard	DIN 7422 DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Width across flats S	3 mm
Ø of effective tool side d max.	24.0 mm

Technical changes and errors excepted

www.npower.com.vn

Tài liệu được tổng hợp bởi đội ngũ kỹ thuật của **NPOWER**
 Bản quyền nội dung thuộc về **KNIPEX**



Product Information

98 39 05

- For metric internal hexagonal head screws
- Basic tool chrome-plated

Hexagon Socket for hexagonal socket screws

With internal square 3/8"



1000V

General	
Part No.	98 39 05
EAN	4003773020776
Weight	59 g
Dimensions	75 x 19 x 19 mm
Standard	DIN 7422 DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Width across flats S	5 mm
Square drive	0 3/8 Inch
Length of non-insulated blade ± 2	9 mm

Technical changes and errors excepted

Product Information

98 39 06

- For metric internal hexagonal head screws
- Basic tool chrome-plated

Hexagon Socket for hexagonal socket screws

With internal square 3/8"



1000V

General	
Part No.	98 39 06
EAN	4003773020783
Weight	58 g
Dimensions	75 x 21 x 21 mm
Standard	DIN 7422 DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Width across flats S	6 mm
Square drive	0 3/8 Inch
Length of non-insulated blade ± 2	10 mm

Technical changes and errors excepted

Product Information

98 39 08

- For metric internal hexagonal head screws
- Basic tool chrome-plated

Hexagon Socket for hexagonal socket screws

With internal square 3/8"



1000V

General	
Part No.	98 39 08
EAN	4003773020790
Weight	71 g
Dimensions	75 x 22 x 22 mm
Standard	DIN 7422 DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Width across flats S	8 mm
Square drive	0 3/8 Inch
Length of non-insulated blade ± 2	11 mm

Technical changes and errors excepted

Product Information

98 39 025

- For metric internal hexagonal head screws
- Basic tool chrome-plated

Hexagon Socket for hexagonal socket screws

With internal square 3/8"



⚡ 1000V

General	
Part No.	98 39 025
EAN	4003773089520
Weight	55 g
Dimensions	92 x 24 x 24 mm
Standard	DIN 7422 DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Width across flats S	2.5 mm
Ø of effective tool side d max.	24.0 mm

Technical changes and errors excepted