

Product Information

98 47 11

- For metric hexagonal head screws
- Basic tool chrome-plated

Hexagon Socket for hexagonal screws

With internal square 1/2"



1000 V

General	
Part No.	98 47 11
EAN	4003773020899
Weight	61 g
Dimensions	54 x 26 x 26 mm
Standard	DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Width across flats S	11 mm
Ø of effective tool side d max.	20.7 mm
Square drive	0 1/2 Inch

Technical changes and errors excepted

www.npower.com.vn

Tài liệu được tổng hợp bởi đội ngũ kỹ thuật của **NPOWER**
Bản quyền nội dung thuộc về **KNIPEX**





Product Information

98 47 12

- For metric hexagonal head screws
- Basic tool chrome-plated

Hexagon Socket for hexagonal screws


With internal square 1/2"



1000 V

General	
Part No.	98 47 12
EAN	4003773020912
Weight	64 g
Dimensions	55 x 26 x 26 mm
Standard	DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Width across flats S	12 mm
Ø of effective tool side d max.	23.0 mm
Square drive	0 1/2 Inch

Technical changes and errors excepted



Product Information

98 47 13

- For metric hexagonal head screws
- Basic tool chrome-plated

Hexagon Socket for hexagonal screws


With internal square 1/2"



1000 V

General	
Part No.	98 47 13
EAN	4003773020929
Weight	64 g
Dimensions	55 x 26 x 26 mm
Standard	DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Width across flats S	13 mm
Ø of effective tool side d max.	23.2 mm
Square drive	0 1/2 Inch

Technical changes and errors excepted



Product Information

98 47 14

- For metric hexagonal head screws
- Basic tool chrome-plated

Hexagon Socket for hexagonal screws


With internal square 1/2"



1000 V

General	
Part No.	98 47 14
EAN	4003773020943
Weight	67 g
Dimensions	55 x 27 x 27 mm
Standard	DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Width across flats S	14 mm
Ø of effective tool side d max.	24.5 mm
Square drive	0 1/2 Inch

Technical changes and errors excepted



Product Information

98 47 16

- For metric hexagonal head screws
- Basic tool chrome-plated

Hexagon Socket for hexagonal screws

With internal square 1/2"



General	
Part No.	98 47 16
EAN	4003773027287
Weight	69 g
Dimensions	55 x 28 x 28 mm
Standard	DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Width across flats S	16 mm
Ø of effective tool side d max.	26.9 mm
Square drive	0 1/2 Inch

Technical changes and errors excepted



Product Information

98 47 17

- For metric hexagonal head screws
- Basic tool chrome-plated

Hexagon Socket for hexagonal screws

With internal square 1/2"



General	
Part No.	98 47 17
EAN	4003773020967
Weight	75 g
Dimensions	55 x 29 x 29 mm
Standard	DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Width across flats S	17 mm
Ø of effective tool side d max.	28.2 mm
Square drive	0 1/2 Inch

Technical changes and errors excepted



Product Information

98 47 18

- For metric hexagonal head screws
- Basic tool chrome-plated

Hexagon Socket for hexagonal screws

With internal square 1/2"



General	
Part No.	98 47 18
EAN	4003773027294
Weight	81 g
Dimensions	55 x 30 x 30 mm
Standard	DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Width across flats S	18 mm
Ø of effective tool side d max.	29.0 mm
Square drive	0 1/2 Inch

Technical changes and errors excepted



Product Information

98 47 19

- For metric hexagonal head screws
- Basic tool chrome-plated

Hexagon Socket for hexagonal screws

With internal square 1/2"



General	
Part No.	98 47 19
EAN	4003773020974
Weight	99 g
Dimensions	54 x 31 x 31 mm
Standard	DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Width across flats S	19 mm
Ø of effective tool side d max.	30.7 mm
Square drive	0 1/2 Inch

Technical changes and errors excepted



Product Information

98 47 22

- For metric hexagonal head screws
- Basic tool chrome-plated

Hexagon Socket for hexagonal screws

With internal square 1/2"



1000V

General	
Part No.	98 47 22
EAN	4003773020981
Weight	125 g
Dimensions	58 x 35 x 35 mm
Standard	DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Width across flats S	22 mm
Ø of effective tool side d max.	34.5 mm
Square drive	0 1/2 Inch

Technical changes and errors excepted



Product Information

98 47 24

- For metric hexagonal head screws
- Basic tool chrome-plated

Hexagon Socket for hexagonal screws


With internal square 1/2"



⚡ 1000V

General	
Part No.	98 47 24
EAN	4003773020998
Weight	151 g
Dimensions	61 x 38 x 38 mm
Standard	DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Width across flats S	24 mm
Ø of effective tool side d max.	37.0 mm
Square drive	0 1/2 Inch

Technical changes and errors excepted



Product Information

98 47 27

- For metric hexagonal head screws
- Basic tool chrome-plated

Hexagon Socket for hexagonal screws

With internal square 1/2"



1000 V

General	
Part No.	98 47 27
EAN	4003773021001
Weight	183 g
Dimensions	63 x 44 x 44 mm
Standard	DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Width across flats S	27 mm
Ø of effective tool side d max.	41.0 mm
Square drive	0 1/2 Inch

Technical changes and errors excepted

