

Product Information

98 47 1/2"

12-Point Socket

With internal square 1/2"

- For imperial hexagonal head screws
- Basic tool chrome-plated
- With double-hex



 1000V

General	
Part No.	98 47 1/2"
EAN	4003773020875
Weight	67 g
Dimensions	55 x 25 x 25 mm
Standard	DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Square drive	0 1/2 Inch
Ø of effective tool side d max.	23.2 mm
Width across flats S	0 1/2 Inch

Technical changes and errors excepted

www.npower.com.vn

Tài liệu được tổng hợp bởi đội ngũ kỹ thuật của **NPOWER**
 Bản quyền nội dung thuộc về **KNIPEX**





Product Information

98 47 3/4"

- For imperial hexagonal head screws
- Basic tool chrome-plated
- With double-hex

12-Point Socket

With internal square 1/2"



1000V

General	
Part No.	98 47 3/4"
EAN	4003773021018
Weight	97 g
Dimensions	55 x 30 x 30 mm
Standard	DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Square drive	0 1/2 Inch
Ø of effective tool side d max.	30.7 mm
Width across flats S	0 3/4 Inch

Technical changes and errors excepted



Product Information

98 47 7/8"

12-Point Socket

With internal square 1/2"

- For imperial hexagonal head screws
- Basic tool chrome-plated
- With double-hex



 1000V

General	
Part No.	98 47 7/8"
EAN	4003773021087
Weight	124 g
Dimensions	58 x 34 x 34 mm
Standard	DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Square drive	0 1/2 Inch
Ø of effective tool side d max.	34.5 mm
Width across flats S	0 7/8 Inch

Technical changes and errors excepted



Product Information

98 47 5/8"

- For imperial hexagonal head screws
- Basic tool chrome-plated
- With double-hex

12-Point Socket

With internal square 1/2"



 1000V

General	
Part No.	98 47 5/8"
EAN	4003773021063
Weight	72 g
Dimensions	55 x 25 x 25 mm
Standard	DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Square drive	0 1/2 Inch
Ø of effective tool side d max.	26.9 mm
Width across flats S	0 5/8 Inch

Technical changes and errors excepted



Product Information

98 47 11/16"

12-Point Socket

With internal square 1/2"

- For imperial hexagonal head screws
- Basic tool chrome-plated
- With double-hex



 1000V

General	
Part No.	98 47 11/16"
EAN	4003773020905
Weight	88 g
Dimensions	55 x 28 x 28 mm
Standard	DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Square drive	0 1/2 Inch
Ø of effective tool side d max.	28.2 mm
Width across flats S	0 11/16 Inch

Technical changes and errors excepted



Product Information

98 47 9/16"

- For imperial hexagonal head screws
- Basic tool chrome-plated
- With double-hex

12-Point Socket

With internal square 1/2"



 1000V

General	
Part No.	98 47 9/16"
EAN	4003773021094
Weight	64 g
Dimensions	55 x 25 x 25 mm
Standard	DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Square drive	0 1/2 Inch
Ø of effective tool side d max.	24.5 mm
Width across flats S	0 9/16 Inch

Technical changes and errors excepted



Product Information

98 47 1"

- For imperial hexagonal head screws
- Basic tool chrome-plated
- With double-hex

12-Point Socket

With internal square 1/2"



1000V

General	
Part No.	98 47 1"
EAN	4003773020868
Weight	167 g
Dimensions	61 x 39 x 39 mm
Standard	DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Square drive	0 1/2 Inch
Ø of effective tool side d max.	41.0 mm
Width across flats S	1 Inch

Technical changes and errors excepted

