



Product Information

99 00 200

- Suitable for twisting and cutting binding wire
- Fast, reliable and economical
- Cutting edges additionally hardened; cutting edge hardness approx. 61 HRC

Concreters' Nipper

(Concreter's Nippers or Fixer's Nippers)



General	
Article No.	99 00 200
EAN	4003773014393
pliers	black atramentized
Head	polished
Weight	230 g
Dimensions	200 x 44 x 21 mm
Standard	DIN ISO 9242
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Cutting capacities medium hard wire (diameter)	Ø 1.8 mm
Cutting capacities hard wire (diameter)	Ø 1.4 mm
Cutting edge length mm	21.0 mm

Technical changes and errors excepted



www.npower.com.vn

Tài liệu được tổng hợp bởi đội ngũ kỹ thuật của **NPOWER**
Bản quyền nội dung thuộc về công ty **KNIPEX**



NPOWER
Powered by
Navitech

CUNG ỨNG NGÀNH HÀNG KIM KHÍ TỔNG HỢP

Máy kim khí, đồ nghề, thiết bị điện và vật tư ngũ kim

WORK LIKE A PRO
ĐỒ THIẾT CHO DÂN THỨ THIẾT
npower.com.vn



NPOWER.COM.VN

ZALO OFFICIAL ACCOUNT



Product Information

99 00 220

Concreters' Nipper
 (Concreter's Nippers or Fixer's Nippers)

- Suitable for twisting and cutting binding wire
- Fast, reliable and economical
- Cutting edges additionally hardened; cutting edge hardness approx. 61 HRC



General	
Article No.	99 00 220
EAN	4003773013273
pliers	black atramentized
Head	polished
Weight	315 g
Dimensions	220 x 43 x 23 mm
Standard	DIN ISO 9242
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Cutting capacities medium hard wire (diameter)	Ø 2.4 mm
Cutting capacities hard wire (diameter)	Ø 1.6 mm
Cutting edge length mm	23.0 mm

Technical changes and errors excepted



Product Information

99 00 250

Concreters' Nipper

(Concreter's Nippers or Fixer's Nippers)

- Suitable for twisting and cutting binding wire
- Fast, reliable and economical
- Cutting edges additionally hardened; cutting edge hardness approx. 61 HRC



General

Article No.	99 00 250
EAN	4003773013280
pliers	black atramentized
Head	polished
Weight	405 g
Dimensions	250 x 48 x 26 mm
Standard	DIN ISO 9242
REACH compliant	does not contain SVHC
RoHS compliant	not applicable

Technical details

Cutting capacities medium hard wire (diameter)	Ø 2.4 mm
Cutting capacities hard wire (diameter)	Ø 1.6 mm
Cutting edge length mm	25.0 mm

Technical changes and errors excepted



Product Information

99 00 280

- Suitable for twisting and cutting binding wire
- Fast, reliable and economical
- Cutting edges additionally hardened; cutting edge hardness approx. 61 HRC

Concreters' Nipper

(Concreter's Nippers or Fixer's Nippers)



General	
Article No.	99 00 280
EAN	4003773014096
pliers	black atramentized
Head	polished
Weight	455 g
Dimensions	280 x 48 x 22 mm
Standard	DIN ISO 9242
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Cutting capacities medium hard wire (diameter)	Ø 2.8 mm
Cutting capacities hard wire (diameter)	Ø 1.8 mm
Cutting edge length mm	25.0 mm

Technical changes and errors excepted





Product Information

99 00 300

- Suitable for twisting and cutting binding wire
- Fast, reliable and economical
- Cutting edges additionally hardened; cutting edge hardness approx. 61 HRC

Concreters' Nipper

(Concreter's Nippers or Fixer's Nippers)



General	
Article No.	99 00 300
EAN	4003773014409
pliers	black atramentized
Head	polished
Weight	510 g
Dimensions	300 x 47 x 26 mm
Standard	DIN ISO 9242
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Cutting capacities medium hard wire (diameter)	Ø 3.1 mm
Cutting capacities hard wire (diameter)	Ø 1.8 mm
Cutting edge length mm	25.0 mm

Technical changes and errors excepted

