

99 01 200

Concreters' Nipper

(Concreter's Nippers or Fixer's Nippers)

- · Suitable for twisting and cutting binding wire
- Fast, reliable and economical
- Cutting edges additionally hardened; cutting edge hardness approx. 61 HRC





General	
Article No.	99 01 200
EAN	4003773021452
pliers	black atramentized
Head	polished
Handles	plastic coated
Weight	247 g
Dimensions	200 x 45 x 21 mm
Standard	DIN ISO 9242
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Cutting capacities medium hard wire (diameter)	Ø 1.8 mm
Cutting capacities hard wire (diameter)	Ø 1.4 mm

Technical changes and errors excepted

www.npower.com.vn

Tài liệu được tổng hợp bởi đội ngũ kỹ thuật của **NPOWER** Bản quyền nội dung thuộc về công ty **KNIPEX**

















www.npower.com.vn

Tài liệu được tổng hợp bởi đội ngũ kỹ thuật của **NPOWER** Bản quyền nội dung thuộc về công ty **KNIPEX**







99 01 220

Concreters' Nipper

(Concreter's Nippers or Fixer's Nippers)

- Suitable for twisting and cutting binding wire
- Fast, reliable and economical
- Cutting edges additionally hardened; cutting edge hardness approx. 61 HRC





General		
Article No.	99 01 220	
EAN	4003773021469	
pliers	black atramentized	
Head	polished	
Handles	plastic coated	
Weight	335 g	
Dimensions	220 x 48 x 15 mm	
Standard	DIN ISO 9242	
REACH compliant	does not contain SVHC	
RoHS compliant	not applicable	
Technical details		
Cutting capacities medium hard wire (diameter)	Ø 2.4 mm	
Cutting capacities hard wire (diameter)	Ø 1.6 mm	









99 01 250

Concreters' Nipper

(Concreter's Nippers or Fixer's Nippers)

- Suitable for twisting and cutting binding wire
- Fast, reliable and economical
- Cutting edges additionally hardened; cutting edge hardness approx. 61 HRC






Octobel		
General		
Article No.	99 01 250	
EAN	4003773021483	
pliers	black atramentized	
Head	polished	
Handles	plastic coated	
Weight	429 g	
Dimensions	250 x 54 x 17 mm	
Standard	DIN ISO 9242	
REACH compliant	does not contain SVHC	
RoHS compliant	not applicable	
Technical details		
Cutting capacities medium hard wire (diameter)	Ø 2.4 mm	
Cutting capacities hard wire (diameter)	Ø 1.6 mm	















99 01 280

Concreters' Nipper

(Concreter's Nippers or Fixer's Nippers)

- Suitable for twisting and cutting binding wire
- Fast, reliable and economical
- Cutting edges additionally hardened; cutting edge hardness approx. 61 HRC





0		
General		
Article No.	99 01 280	
EAN	4003773021490	
pliers	black atramentized	
Head	polished	
Handles	plastic coated	
Weight	490 g	
Dimensions	280 x 53 x 26 mm	
Standard	DIN ISO 9242	
REACH compliant	does not contain SVHC	
RoHS compliant	not applicable	
Technical details		
Cutting capacities medium hard wire (diameter)	Ø 2.8 mm	
Cutting capacities hard wire (diameter)	Ø 1.8 mm	





















99 01 300

Concreters' Nipper

(Concreter's Nippers or Fixer's Nippers)

- Suitable for twisting and cutting binding wire
- Fast, reliable and economical
- Cutting edges additionally hardened; cutting edge hardness approx. 61 HRC





General		
General		
Article No.	99 01 300	
EAN	4003773014416	
pliers	black atramentized	
Head	polished	
Handles	plastic coated	
Weight	548 g	
Dimensions	300 x 52 x 26 mm	
Standard	DIN ISO 9242	
REACH compliant	does not contain SVHC	
RoHS compliant	not applicable	
Technical details		
Cutting capacities medium hard wire (diameter)	Ø 3.1 mm	
Cutting capacities hard wire (diameter)	Ø 1.8 mm	













