

Product Information

99 04 220

- Suitable for twisting and cutting binding wire
- Fast, reliable and economical
- Cutting edges additionally hardened; cutting edge hardness approx. 61 HRC


Concreters' Nipper

(Concreter's Nippers or Fixer's Nippers)




General	
Article No.	99 04 220
EAN	4003773048398
pliers	bright zinc plated
Weight	315 g
Dimensions	220 x 45 x 23 mm
Standard	DIN ISO 9242
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Cutting capacities medium hard wire (diameter)	Ø 2.4 mm
Cutting capacities hard wire (diameter)	Ø 1.6 mm

Technical changes and errors excepted



www.npower.com.vn

Tài liệu được tổng hợp bởi đội ngũ kỹ thuật của **NPOWER** Bản quyền nội dung thuộc về công ty **KNIPEX**



Product Information

99 04 250

Concreters' Nipper

(Concreter's Nippers or Fixer's Nippers)

- Suitable for twisting and cutting binding wire
- Fast, reliable and economical
- Cutting edges additionally hardened; cutting edge hardness approx. 61 HRC



General	
Article No.	99 04 250
EAN	4003773048213
pliers	bright zinc plated
Weight	405 g
Dimensions	250 x 47 x 25 mm
Standard	DIN ISO 9242
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Cutting capacities medium hard wire (diameter)	Ø 2.4 mm
Cutting capacities hard wire (diameter)	Ø 1.6 mm

Technical changes and errors excepted



Product Information

99 04 280

- Suitable for twisting and cutting binding wire
- Fast, reliable and economical
- Cutting edges additionally hardened; cutting edge hardness approx. 61 HRC

Concreters' Nipper

(Concreter's Nippers or Fixer's Nippers)



General	
Article No.	99 04 280
EAN	4003773048220
pliers	bright zinc plated
Weight	455 g
Dimensions	280 x 50 x 26 mm
Standard	DIN ISO 9242
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Cutting capacities medium hard wire (diameter)	Ø 2.8 mm
Cutting capacities hard wire (diameter)	Ø 1.8 mm

Technical changes and errors excepted

